

Item No	Description	Quantity
1	Clevis, Single Spool	70,000
2	Clevis, 3 Spool, Chance Cat# 207-0047	2,000
3	Pole Step, Drive Hook, 5/8" x 10", Chance Cat# 506125	110,000
4	Bolt & Nut, Machine, 5/8" x 10", Chance Cat# 8810	65,000
5	Pin, Crossarm, Long Shank, 1" Thread, Total Length 11-1/2", Cat# J-606Z	10,000
6	Brace, Flatwood, Crossarm, 32", Chance Cat# C203-0233	20,000
7	Grip, Preformed, Tulip, 336.4MCM, Hubbell Cat# DG4549	8,000
8	Pin, Pole Top, 20"x1", Chance Cat# 2174	5,000
9	Rod, Ground, 5/8"x8', Drive Head Bolt, Chance Cat# C203-0377	2,000
10	Strain Plate, 6"x3/8"x1ft, 5-1/2" Cat# YA31A3	1,000
11	Bolt & Nut, Machine, 5/8"x12",Chance Cat# 8812	5,000
12	Bolt & Nut, Machine, Galvanized, 5/8"x14", Chance Cat# 8814	3,000
13	Bolt, Carriage, 3/8"x4-1/2" Chance Cat# 8605	12,000
14	Washer, Curved, 5/8"	5,000
15	Clamp, Stirrup 336.4 MCM AHLS-954022E	500
16	Bolt & Nut, Machine, Galvanized, 5/8"x16", Cat# 8816	1,500
17	Clamp, Assy. Ground Wire 15/16	500
18	Bolt, Machine, 3/4"x16", Chance Cat# 8916	500
19	Clevis, Ball "Y" Type-93 1/2	500
20	Bolt & Nut, Oval Eye, 5/8"x16", Chance Cat# 29966	500
21	Bolt, Thimble Eye, Straight 5/8"x14", Cat# 5514	5,000
22	Anchor, No- Wrench, 96" Long with 10" Helix	3,000

	Triple Eye, 1.25" rod Diameter, Chance Cat# PS816	
23	Grip, Preformed Guy Wire, 7/16", Hubbell Cat# DG4545	6,000
24	Bolt, D/A, Eye, 5/8"×20", Chance Cat# 19790	2,000
25	Clamp, P6203ACR, Chance Cat# CP29A	1,000
26	Bolt, Machine, ¾"×16", Chance Cat# 8916	3,000
27	Bolt, D/A, 5/8"×22", Burndy Cat# J9622	2,000
28	Rack, 4 Spool	1,000
29	Bolt, Double Arming, 5/8"×18", Chance Cat# 8868	3,000
30	Clamp, Chance Cat# UCG25R2RS	1,000
31	Clamp 3/0-400 CU/AL 397.5 UP34R	1,000
32	Clamp, 4/0-8, 1-4/0, Chance Cat# UC28R	1,000
33	Clamp, 397-3/0-500, Chance Cat# URP35	1,000
34	Clamp, Dead End, 3/0-350, Chance Cat# CUW32RE	1,000
35	Clamp 3/0-4/0 # CP 28A	1,000
36	Clevis, Dead End, Chance Cat# 455	1,000
37	Clevis, Insulated, Chance Cat# 469	1,000
38	Clevis, Insulated, Chance Cat# 461	1,000
39	Clip, Wire Rope, 5/8", chance Cat# 6485	1,000
40	Bolt, Thimble Eye, Angle, ¾"×12", Chance Cat# 8162	2,000
41	Band, Adjustable, Pole, 8"×14", Chance Cat# 6277	150
42	Bolt, D/A, Galvanized, 5/8"×10", Maclean Cat# MP58100	3,000
43	Bolt, Eye, Galvanized, 5/8"×6×-1/2", Chance Cat# N167-163	3,000
44	Bolt, Machine, 5/8"×28", Burndy Cat# J8828	3,000
45	Bolt, Thimble Eye, Straight, ¾"×12", Chance Cat# 8062	3,000
46	Washer, Square Stub, ¾" Curved, Chance Cat# 6822	4500
47	Wire Holder, Large, 3-1/8"×2-1/2", Chance Cat# 0607	130,000
48	Staple, 1"×3/4"×3/8", Chance Cat# C205-0213	10,000
49	Washer, Flat Square ¾"	1,000

50	Screw, Lag, F.D., 3/8" x 3", 10x76mm, Chance Cat# 508743	11,000
51	Rod, Anchor, Twin Eye, 5/8" x 8", Chance Cat# 5317	500
52	Auger, Scotch Eye, 7/16"	200
53	Bolt, Clevis, 5/8" x 14", Chance Cat# 15814	3,000
54	Brace, Crossarm, Short, 7/32" x 20", Chance Cat# 7020	5,000
55	Rod, Anchor, Twin Eye, 5/8" x 8", Chance Cat# 5317	500
56	Sling 8FT Polyester	50
57	Piercing Connectors P50	150,000
58	Sleeve, Insulink # ES 2W 2W	150,000
59	Sleeve, Insulink # YSU 2W 2W	150,000
60	Sleeve, Pre Insulated Service, Burndy cat# YSU 2W 6W	80,000
61	Sleeve, Pre-Insulated, Service, Burndy Cat# ES 2R 6W	14,000
62	Sleeve, Pre Insulated Service, Burndy Cat# ES 2W 2W	13,000
63	Sleeve, Pre Insulated Service, Burndy Cat# ES 2W 6W	52,000
64	Sleeve, Pre Insulated Service, Burndy Cat# ES 2W 4W	8,000
65	Sleeve, Pre Insulated Service, Burndy Cat# ES 25R 2R	3,000
66	Sleeve, Pre Insulated Service, Burndy Cat# ES 2R 2R	2,000
67	Sleeve, Compression, Service, Burndy Cat# UIB104	2,000
68	Sleeve, Compression, Service, Burndy Cat# 1B1010	2,000
69	Sleeve, Aluminium, Service, Burndy Cat# YSU 2R 4W	15,000
70	Sleeve, Pre Insulated Service, Burndy Cat# YSU 2W 6W	30,000
70	Sleeve, Compression, Service, Burndy Cat# URB 26	2,000

72	HYCRIMP, YHD 250, Compression Tap	20,000
73	HYCRIMP, HYO 100, Compression Tap	30,000
74	Lug, Cable, A1 4/0 for ½ Bolt, Cat# Vaul 4012	5,000
75	Lug, 1 Hole, ½", Aluminum, 1/0 AWG, Poppy, Burndy Cat# YA25A9	5,000
76	Lug, Aluminum, 1 Hole, 350MCM Cat# YA 31A1	1,500
77	Lug, 1 Hole, 5/8" Aluminium, 477MCM, Cosmos, Burndy Cat# YA34A1	2,000
78	Lug, 2 Hole, 4/0, Burndy Cat# YA85A	3,000
79	Lug, Aluminium, 1 Hole, 350MCM Cat# YA 31A1	2,000
80	Connector, Insulator, Piercing, 4/0,6 AWG, 1/0, Burndy Cat# BIPC 4/0-6	20,000
81	Connector, Universal, Oklip: Run (350-250), Tap (350-#6), Burndy Cat# KVSU 31	3,000
82	Connector, Aluminum, Compression, Tap, Run (1/0- #3), Tap (#2- #6), Burndy Cat# YHO 150	1,000
83	Connector, Universal Oklip, Run (4/0 – 1/0), Tap (4/0 - #6) Burndy Cat# KVSU 28	2,000
84	Connector, Aluminum Compression, Tap, Run (4/0- 3/0), Tap (#6-#2), Burndy Cat# YHD 250	16,000
85	Connector, Aluminium, Hycrimp, Burndy Cat# YHD 400	2,000
86	Connector, Compression, 4/0- 3/0, Burndy Cat# YHD 350	2,000
87	Connector, T-Tap with Slotted T-Pad, 336.4MCM, Burndy Cat# YTA32 1R-2N	1,000
88	Connector, Ground Rod, 5/8	100
89	Connector, Squeezon, Aluminium, Burndy Cat# 491-82	2,000
90	Connector, Compression, CU, Burndy Cat# 302 374-374	1,000
91	Connector, Compression, CU, Burndy Cat# 302 375-376	1,000
92	Connector, Compression, CU, Burndy Cat# 302 372-372	1,000

93	Connector, Compression, CU, Burndy Cat# 302 374-370	1,000
94	Connector, Compression, CU, Burndy Cat# 302 374-371	1,000
95	Connector, Compression, CU, Burndy Cat# 302 374-372	1,000
96	Connector, Compression, Tap, CU, Burndy Cat# 302 375-375	1,000
97	Connector, Compression, Tap, CU, Burndy Cat# 302 377-377	1,000
98	Connector, Compression, Tap, CU, Burndy Cat# 302 377-378	1,000
99	Connector, Squeeze on, Burndy Cat# 504-82	1,000
100	Connector, Compression, Tap, CU, Cat# UR024	1,000
101	Connector, Compression, Tap, CU, Cat# URR22	1,000
102	Connector, Compression, Tap, CU, Cat# UY400	1,000
103	Connector, Compression, Aluminium, Cat# 301 030-030	1,000
104	Connector, Compression, Aluminium, Cat# 301 032-032	1,000
105	Connector, Compression, Aluminium, Cat# 301 039-039	1,000
106	Connector, Slit Bolt 4/0 AWG, Burndy Cat# 750M	2,000
107	Connector, Piercing Tap, 4/0-1/0, 6 AWG, Burndy Cat# P-150	10,000
108	Connector, Multi Tap, with teeth, Insulated, main 2-250 MCM (35-150mm ²), Tap 10-4 AWG (6-25mm ²), Cat# MT4PC	5,000