STANDARD BIDDING DOCUMENTS



GUYANA POWER AND LIGHT INC

Procurement of Goods

IFB # GPL- PD - 043 - 2020

Supply of Equipment

July 2020

Closing Date: Monday September 7, 2020 @ 14:00 hrs. or 2:00pm Bid Opening: Monday September 7, 2020 @ 14:30 hrs. or 2:30pm

Invitation for Bids (IFB)

Cooperative Republic of Guyana IFB# GPL - PD - 043 - 2020

The Guyana Power and Light Incorporated (GPL) invites sealed bids from eligible bidders for the supply of **Supply of Equipment.**

The bidding documents can be purchased for a non-refundable fee of G\$5,000 from the Procurement Manager, Guyana Power and Light Incorporated, 40 Main Street Georgetown Guyana or a copy can be downloaded free of cost from our web site www.gplinc.net.

Bids must be submitted with a valid **National Insurance (NIS), Inland Revenue (GRA)** compliance certificates (Locally Registered Companies) and deposited in the Tender Box located at GPL's Board Room 91 Duke Street Kingston Georgetown Guyana.

A bid Security of 2 % of the tendered amount <u>must</u> be submitted along with the bid.

Bids shall be valid for 90 days after the date of bid opening.

Bid envelopes must be addressed as follows; Bid for the Supply of Equipment GPL - PD - 043 - 2020

The Secretary to the Tender Board Guyana Power and Light Incorporated. 91 Duke Street, Kingston, Georgetown

Deadline for submission of bids is 14:00 hrs. (2.00 pm) on Monday September 7, 2020.

Bid opening is scheduled for 14:30 hrs (2:30 pm) on **Monday September 7, 2020** at GPL's Board Room 91 Duke Street, Kingston, Georgetown, Guyana in the presence of Bidders/Representatives who may choose to attend.

IMPORTANT: Bidders downloading the bid document are advised to forward a registration email to ajohnson@gplinc.com, kwilson@gplinc.com or proc-mng-sect@gplinc.com stating the following:

Name of Bidder, Address, Contact No and Email address.

The above information will be used to inform bidders of any amendments to the bidding document and also to forward all responses to queries.

GPL reserves the right to reject any or all bids.

Note: Any bidder/representative who chooses to attend the opening of this bid will be subjected to entry protocols in keeping with the COVID-19 pandemic. Only one (1) representative is allowed per entity and the representative will be subject to body temperature test, hand sanitizing and mandatory use of face mask at all times. Failed body temperature test and/or resistance to comply with the aforementioned will prohibit your participation in the bid opening.

CONTENTS

Invitation For Bids (IFB)	 2
Instruction To Bidders (ITB)	 4
Bid Data Sheet (BDS)	 11
General Conditions of Contract (GCC)	 13
Special Conditions of Contract (SCC)	 17
Schedule of Requirements	 20
Technical Specifications	 21
Bid Delivery Schedule	 28
Qualification Information	 29
Suppliers Bid	 31
Contract	 32
Bid Security	 34
Bid Securing Declaration	 35
Manufacturer's Authorization	 36
Performance Security	 37
Letter of Acceptance	 38
Power of Attorney for Signing the Bid	 39
Evaluation and Qualification Criteria	 40

INSTRUCTIONS TO BIDDERS

A. Introduction

1. Description of the Procurement

The Procuring Entity is Guyana Power and Light, Inc. who intends to procure the goods identified in the *Bid Data Sheet* and in the Schedule of Requirements.

2. Eligibility and qualifications of Bidders

- 2.1 In order to be awarded a procurement contract, Bidders should possess the technical and financial capacity needed to perform the contract, should fulfill their tax and social insurance fund liabilities in Guyana, and should not currently be subject to a debarment penalty, and must comply with the specific eligibility and qualification requirements referred to in the *Bid Data Sheet*. Bidders shall provide the information and any supporting documentation required by the Qualification Information Form.
- 2.2 The bidders should not have a conflict of interests, including involvement in more than one bid in this proceeding, should not be associated nor have been associated in the past, directly or indirectly, with any agency or any of its representative, affiliate, that have been engaged by the Procuring Entity to provide consulting services at the preparation stage of the bidding documents, technical specifications and other documentation that are subject to be used in the procurement of goods which must be purchased in accordance with the Invitation for Bids. In case when the indicated facts are discovered, the Bidder's bid shall be rejected.

B. Bidding Documents

3. Clarification and amendment of bidding Documents

- 3.1 The Procuring Entity, in not more than three (3) working days, will respond in writing (including by fax or electronic mail) to any request for clarification of the bidding documents to be received (in writing, including by fax or electronic mail) not later than 10 days before the expiry of a deadline for submission of bids. At the same time, the Procuring Entity's response shall without identifying its source of the request, be distributed to all bidders who have received the bidding documents from the Procuring Entity.
 - 3.2 At any time before the deadline for submission of bids, the Procuring Entity may amend the bidding documents by issuing an Addendum and notifying it to the prospective bidders.

C. Preparation of Bid

4. Language of Bid

4.1 The bid prepared by the Bidder, as well as all correspondence and documents related to that bid and exchanged by the Bidder and the Procuring Entity shall be written in the language *specified in the Bid Data Sheet*.

5. Documents Included in Bid

5.1 The bid prepared by the Bidder should contain the Form of Bid, the Price Schedules and the other documents to be submitted in accordance with these Instructions to Bidders.

6. Bid Price

- 6.1. Subject to the choice of INCOTERMS as indicated in the Bid Data Sheet, the prices given in the Price Schedule shall include all transportation costs to the destination point indicated in the Contract, all taxes, duties, payments collected, in accordance with the laws of Guyana and delivery related and other costs on performing of contractual obligations.
- 6.2. The prices offered by the Bidders shall remain fixed during the whole period of Contract performance and shall not be modified in any circumstance.

7. Bid and Payment Currency

7.1 The prices shall be indicated in UK Pounds, US Dollars and Euros for Foreign Suppliers and Guyana Dollars for Domestic Suppliers, unless otherwise specified in the *Bid* Data sheet.

8. Bid Security / Bid Securing Declaration

- 8.1 Unless otherwise provided in the *Bid Data Sheet*, the Bidder shall furnish, as part of his bid, a Bid Security, in the form, currency and amount specified in the *Bid Data Sheet* with a validity period for not less than 2 weeks upon the expiry of the bid validity period and in line with the form provided, or, if so indicated in the BDS, a Bid Securing Declaration in accordance with the form provided. **A Bid Securing Declaration in not required.**
- 8.2 The bid security may be forfeited, or the Bid Securing Declaration executed, if the Bidder:
 - (a) withdraws his/her bid after it is opened during the period of validity specified in the bid; or,
 - (b) having been awarded the contract fails:
 - (1) to sign the contract on the terms and conditions provided in his bid; or
 - (2) to furnish the Performance Security, if required to do so.

9. Period of Validity of Bid

9.1 Bids shall remain in force during the period specified in *the Bid Data Sheet* after the date of bid opening.

10. Format, Signing and submission of Bid

10.1 The Bidder shall prepare an original and one (1) copy of the bid, which shall be typed or written in indelible ink, and shall be signed by the Bidder, or by the person (persons) duly authorized to sign the bid in accordance with the power of attorney to be submitted with the bid. All pages of the bid where new information, modifications or erasures

entered shall be initialed (signed) by the person or persons signing the bid. In the event of discrepancies between them, the original shall prevail.

- 10.2 The bid shall contain no interlineations, erasures or overwriting, except the cases when the Bidder needs to correct errors which must be initialed by the person or persons signing the bid.
- 10.3 The Bidder shall seal the original and each copy of the bid in different envelopes, marking them "**ORIGINAL**" and "**COPY**", as appropriate. The envelopes shall then be sealed in an outer envelope.
- 10.4 The inner and outer envelopes shall:
 - (a) be addressed to the Procuring Entity at the address specified in the Invitation for Bids.
 - (b) bear the Invitation for Bids (IFB) title and number and the words: "**DO NOT OPEN BEFORE**," the date specified in the Bid Data Sheet.
 - (c) indicate the name and address of the Bidder. **Alternative bids are not permitted**.

11. Deadline for Submission of Bids

11.1 Bids must be received by the Procuring Entity at the address and within the periods specified in *the Bid Data Sheet*. All bids received by the Procuring Entity upon the expiry of a period established for submission of bids as indicated by the Procuring Entity shall be rejected and returned to the Bidder unopened.

12. Modification and Withdrawal of Bids

- 12.1 The Bidder may modify or withdraw his bid after the bid's submission, provided that the Procuring Entity will receive a written notice of modification, including substitution or withdrawal of bid until the expiry of established period for submission of bids.
- 12.2 The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and sent in accordance with the provisions of ITB Clause 10. In that case the outer and inner envelopes will be additionally marked as "MODIFICATION" or "WITHDRAWAL", as appropriate. A withdrawal notice may also be sent as a telegram by telex or fax with a subsequent written confirmation by post-office not later than the deadline for submission of bids.

E. Opening and Evaluation of Bids

13. Opening of Bids

13.1 The Procuring Entity will open all bids in the presence of bidders' representatives who wish to attend, at the time, on the date, and at the address specified in the *Bid Data Sheet*. The bidders' representatives who are present shall sign a register evidencing their attendance.

- 13.2 The bidders' names, bid prices, including alternatives (if alternatives permitted), information on the presence or absence of required bid security, or bid securing declaration, information on the presence (absence) of tax debts and debts of social insurance payments will be announced at the opening. No bid may be rejected at the opening, exclusive of late bids to be returned to the Bidder unopened.
- 13.3 Bids (and modifications sent pursuant to ITB Clause 12.2 that are not opened and read out during the bid opening shall not be accepted for further evaluation, regardless of circumstances.

14. Evaluation of Bids

- 14.1 During the evaluation of bids, the Procuring Entity may, at his discretion, request the Bidder to provide clarification of his bid. The request for clarification and the response thereto shall be made in writing, and in that case no change in price or substance of the bid shall be sought, offered, or permitted.
- 14.2 The Procuring Entity shall determine the responsiveness of each bid to requirements of the bidding documents. For the purposes of this Clause a substantially responsive bid is one which satisfies all the indicated provisions without a material deviation or reservation.
- 14.3 The Procuring Entity may waive any minor nonconformity, or small mistake or inaccuracy in the bid which are not a material deviation from the requirements of the bidding documents, and such non-conformity or inaccuracy will not affect the bid evaluation. To the extent feasible and appropriate, for the purposes of comparing bids, acceptable deviations shall be quantified in monetary terms, and reflected in adjustments to the bid price (for the purposes only of comparison of bids).
- 14.4 Arithmetical errors shall be rectified in the following manner. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words shall be preferable. If the Bidder disagrees with such correction of errors, his bid shall be rejected.
- 14.5 The Procuring Entity shall evaluate and compare only the bids that are determined to be responsive to the bidding documents.
- 14.6 The methodology to adjust the price to reflect the price of the missing or nonconforming item or component is the average price of the item of all responsive bids.

15. Confidentiality and Contacting the Procuring Entity

- 15.1 No Bidder shall contact the Procuring Entity on any matter related to his bid from the date of bid opening until the date of contract award, except for requests related to clarification of the bid. Information concerning the evaluation of bids is confidential.
- Any effort by the Bidder to influence the Procuring Entity's decision on bid evaluation and comparison, or contract award may result in the rejection of that Bidder's bid.

F. Award of Contract

16. Award Criteria

- 16.1 Subject to ITB Clause 18, the Procuring Entity will award the Contract to the Bidder whose bid is determined to be substantially responsive to the requirements of the bidding documents, and who offered **the Lowest Evaluated Bid**, provided that the Bidder has been determined:
 - (a) to be eligible pursuant to Clause 2;
 - (b) to comply with qualification requirements, in accordance with Clause 2, and any technical requirements and technical evaluation criteria disclosed in the bidding documents.

17. Procuring Entity's Right to Vary Quantities at Time of Entering into a Contract

17.1 The Procuring Entity reserves the right, when entering into a contract, to increase or decrease the quantity of goods and related services specified in the Schedule of Requirements, by the percentage indicated in the *Bid Data Sheet*, no change in the unit price or other conditions shall be made (an increase of quantity not exceeding 10 *percent variation*).

18. Procuring Entity's Right to Accept Any Bid and to reject All Bids

18.1 The Procuring Entity reserves the right to accept or reject any bid or all bids, and to cancel the bidding process at any time prior to award of contract, without thereby incurring any liability to Bidders and without being required to inform the Bidder or Bidders of reasons of such actions.

19. Notification of Award

- 19.1. The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period.
- 19.2. The notice of acceptance shall be equal to entering into a Contract, provided that the Bidder furnishes the performance security and the signed Contract.
- 19.3. At the same time that the Procuring Entity notifies the successful Bidder in accordance with sub-clause (1), the Procuring Entity will notify all other Bidders of the name of successful Bidder, and his bid price.
- 19.4 The evaluation report and comparison of bids will not be sent to bidders.

20. Signing of Contract and performance security

20.1 At the same time with notification of award, the Procuring Entity will send the successful Bidder the Form of Contract contained in the bidding documents. The successful Bidder shall sign and date the Contract, and return it to the Procuring Entity during seven (7) days of receipt of notice of award.

- **20**.2 Together with the signed Contract, the Bidder shall, if required to do so by the *Bid Data Sheet*, furnish the Procuring Entity with a Performance Security in the amount and form specified in the *Bid Data Sheet*.
- 20.3 If the successful Bidder fails to furnish the performance security, if required to do so, or during 14 (fourteen) days fails to return the Contract signed by him, then it shall be a sufficient ground to refuse the award of Contract, and to forfeit the bid security, or execute the bid-securing declaration. In that case the Procuring Entity shall award the Contract to the next lowest evaluated Bidder, subject to the right of the Procuring Entity to reject all bids.

21. Settlement of disputes

21.1 To settle the disputes which may arise during the execution of Contract, the parties shall follow the procedure referred to in the *Bid Data Sheet*.

22. Corrupt and Fraudulent Practices

- 22.1 The Procuring Entity requires that Bidders observe the highest standards of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Procuring Entity:
 - (a) will reject the bid if it establishes that the Bidder recommended for award has engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract in question;
 - (b) will declare the Supplier, for indefinite or specified period of time, to be ineligible to participate in state-financed biddings, in accordance with applicable debarment procedures.

23. Compliances

23.1 Bidder registered in Guyana must submit valid certificates of compliances from Guyana Revenue Authority (GRA), National Insurance Scheme (NIS), and (VAT registration is required only if item being supplied is Vatable).

24. Defects Liability:

24.1 The "Defects Liability Period" for the goods and related services is twelve (12) months from the date of taking over possession or such other period as may be specified in the Bid Data Sheet. During this period, the supplier will be responsible for replacing any defective item free of cost to the Procuring Entity.

25. Inspection and Testing

- 25.1 The Supplier shall at its own expense and at no cost to the Purchaser carry out all testing and/or inspections of the Goods and Related Services as are specified in the Technical Specification. Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser.
 - The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.
- 25.2 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract.
- 25.3 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.4 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice.
- 26.5 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or
- any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of
 - any report, shall release the Supplier from any warranties or other obligations under the Contract.

Bid Data Sheet (BDS)

The following specific data to clauses of the provisions of Instructions to Bidders which supplement, or amend the provisions of the Instructions to Bidders (ITB) whenever there is a conflict, the provisions herein shall prevail over those in ITB

h	
Item No.	
ITB 1.1	Guyana Power and Light ,Inc. of 40 Main Street Georgetown Guyana Telephone#592-226-9598 Email: ajohnson@gplinc.com or kwilson@gplinc.com The subject of the procurement is: Supply of Equipment.
ITB 2.1	To qualify for award of the Contract, the bidders shall provide satisfactory evidence to the Purchaser of their capability and adequacy of resources to carry out the Contract effectively:
	 (a) Copies of original documents defining the constitution or legal status, place of registration and principal place of business. (b) Experience as a supplier in carrying out of 2 (two) or more supplies of Similar items within the last 3 (three) years. (c) Average Turnover for the last three years should be a least US\$2,000,000.00. (d) Evidence of access to lines of credit and availability of other financial resources. (e) Evidence compliance with NIS, GRA, Vat registration if applicable (Only applies to local Supplier). (f) To be covered by an express warranty period of twelve (12) month. (g) Manufacturers authorization form. (h) Must provide Pictures and Brochures of the Equipment that will be supplied giving full disclosure of their Technical details.
ITB 4.1	Language of Bid shall be English
ITB 5.1	Other documents to be submitted includes; GRA and NIS Compliances, (TIN Certificate and Vat Registration if the item/s being procured attracts Vat). Only applies to suppliers whose registered office is within Guyana
ITB 6.1	The price quoted by bidders shall be on the basis of CIF for goods delivered from abroad and for goods delivered from within Guyana Incoterms 2010 shall apply.
	Suppliers may quote on any One or All Line Items.
ITB 7.1(a)	For Goods and Related Services with origin in the Purchaser's country, the currency of the bid shall be Guyana Dollars (GY\$) (Supplier's with registered business in Guyana must submit their bid in Guyana Dollars (GY\$).
ITB 7.1(b)	For Supplier's outside of the Purchaser country the currency of the bid can be US\$, GBP or a freely convertible currency.
ITB 7.1(c)	The currency that will be used for bid evaluation and comparison purposes to convert all bid prices expressed in various currencies into a single currency is

	the US\$.
	The source of exchange rate shall be the Bank of Guyana, and the selling rate shall be used.
	The date for exchange rate shall be ten days before the opening of tenders.
ITB 8.1	A bid security of 2% of the tendered sum is required. A signed Bid Securing Declaration is not required.
ITB 9.1	The period of validity of bid is 90 Days.
ITB 11.1	Deadline and place for submission of bids: 14:00 hours on Monday September 7, 2020
	Attention: Secretary to the Tender Board, Guyana Power and Light, Inc. 91 Duke Street, Kingston Georgetown Guyana South America.
ITB 13.1	Time and place for opening of bid: 14: 30 hours on Monday September 7, 2020. The Board Room, Guyana Power and Light, Inc., 91 Duke Street, Kingston, Georgetown, Guyana, South America.
ITB 17.1	When entering into a contract the Procuring Entity reserves the right to Increase or decrease quantities of goods by 10%.
ITB 20.2	The performance security shall be 10% of the Contract Price and in the form of a Bank Guarantee or Managers Cheque.
ITB 21.1	Disputes that may arise in the performance of the contract shall be settled in accordance with the Laws of Guyana.
ITB 24.1	To assure that manufacturing defects shall be corrected by the Supplier, an express warranty is required from the Supplier for a minimum period of twelve (12) months after acceptance of the delivery by the Procuring Entity.
ITB 25.1	In the event of the Supplier not being the original manufacturer of the equipment, the Supplier shall provide all relevant technical data to confirm that it meets industry standards

General Conditions of Contract (GCC)

The General Conditions are the Standard General Conditions of Contract. No alteration shall be made on the pages of these Conditions. The Procuring Entity, when amending or supplementing the General Conditions of Contract should do so only in the Special Conditions of Contract. Any amendment or addenda of the General Conditions of Contract shall conform to the legislation of Guyana.

1. Definitions and application

- 1.1 This Contract lists below the terms that have the following interpretation:
 - (a) "Contract" means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Form of Contract signed by the parties, including all attachments and appendices thereto and all the documents referenced therein;
 - (b) "Contract Price" means the price payable to the Supplier under the Contract for complete and proper performance of his contractual obligations;
 - (c) "Goods" means the item(s) referred to in the SCC;
 - (d) «GCC» means the General Conditions of Contract contained in this Section;
 - (e) "SCC» means the Special Conditions of Contract;
 - (f) "Procuring Entity" means the Procuring entity carrying out the procurement of

Goods, specified in the SCC;

- (g) "Supplier" means an individual or legal entity, or a combination of any above mentioned forms which operate under the existing agreement as a joint venture and supply the Goods and Services under the Contract;
- (h) "Day" means calendar day.
- 1.2 The General Conditions of Contract shall apply in the procurement of goods; the specific amendment, addition and alteration shall be indicated in the Special Conditions of Contract.
- 1.3 Warrant requirements are as may be specified in the special conditions of contract.

2. Contract Documents

2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The contract shall be read as a whole.

3. Performance Security

3.1 If required by the SCC, during fourteen (14) days of receipt of notification of award, the successful Bidder shall furnish the Procuring Entity with the performance security the amount and form of which are indicated in the SCC.

4. Packing

4.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to final destination specified in the Contract, and as may be required by the Special Conditions of Contract.

5. Delivery, Transportation, Mobilization Advance

5.1 The Supplier must deliver the Goods within the periods and to the Destination point indicated in the Schedule of Requirements and shall provide the documentation indicated in the SCC. Subject to the SCC, transportation of the Goods to the place specified by the Procuring Entity shall be carried out and paid by the Supplier, and related costs shall be included in the Contract Price.

6. Payment

6.1 The payment to the Supplier for the Goods delivered shall be made in accordance with the Contract in the form and within the periods specified in the SCC.

7. Prices

7.1 Prices established by the Supplier in the Contract for goods delivered shall not vary from the prices quoted by the Supplier in his bid.

8. Assignment

8.1 The Supplier shall not assign, in whole or in part, his obligations under the Contract to the third party for the execution without the Procuring Entity's prior written consent.

9. Delays in the Supplier's Performance and liquidated damages

- 9.1 Delivery of the Goods shall be carried out by the Supplier, in accordance with the schedule
 - indicated by the Procuring Entity in the Delivery Schedule.
- 9.2 Except for provided under GCC Clause 13, the delay in the Supplier's performance of his delivery obligations shall render the Supplier liable for payment of liquidated

damages in the amount specified in the SCC, unless an extension of time is agreed upon by the parties without application of liquidated damages. Once the maximum deduction specified in the SCC is reached, the Procuring Entity may consider termination of the Contract, in accordance with Clause 10 of the General Conditions of Contract.

10. Termination

- 10.1 The Procuring Entity, without detriment to any other sanctions of infringement of the provisions of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:
 - (a) if the Supplier fails to deliver the portion or all of the Goods within the periods provided for in the Contract, or within an extension period of that Contract, or to perform any of his obligations under the Contract;
 - (b) if bankruptcy procedures are applied to the Supplier, or it is declared insolvent.
 - (c) if the Supplier, in the Procuring Entity's opinion, has engaged in corrupt, fraudulent, collusive or coercive practices when entering into or executing the Contract;
 - (d) if the Procuring Entity deems that continued implementation of the contract would no longer be expedient from the standpoint of the public interest
- 10.2 The notice of termination shall specify the reason of termination, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- 10.3 Notwithstanding clauses 9 and 10.1, the Supplier shall not forfeit his performance security, and shall not be liable for payment of liquidated damages, or termination for default, if delay in executing the Contract or failure to perform obligations under the Contract is the result of an event of force majeure. When force majeure arises, the Supplier shall promptly notify the Procuring Entity in writing of such circumstance and its causes.
- 10.4 When the contract is terminated in accordance with clause 10.1(d), the Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Entity at the Contract terms and prices. For the remaining Goods, the Procuring Entity may elect:
 - (a) to have any portion completed and delivered at the Contract terms and prices; and/or
 - (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

11. Settlement of Disputes

11.1 If any dispute or disagreement arises between the Procuring Entity and the Supplier for

the Contract or in connection with it, the parties shall make every effort to resolve the dispute or disagreement amicably by mutual consultation.

11.2 If during twenty one (21) days, the parties failed to resolve their dispute or disagreement by mutual consultation; either the Procuring Entity or the Supplier may send the other party the notice of intent to commence arbitration, if an arbitration is incorporated in the Contract in the Special Conditions of Contract or otherwise agreed by the parties, or in the Court of General Jurisdiction if no arbitration is envisaged, and no arbitration or litigation in respect of that matter may be commenced unless such notice is given.

Any dispute or disagreement in respect of which the notice of intent is sent to commence

trial shall be heard by the [Court of General Jurisdiction].

11.3 Notwithstanding any reference to dispute settlement herein, the parties shall continue to perform their obligations under the Contract, unless they agree otherwise.

12. Applicable Law

12.1 The Contract shall be interpreted in accordance with the laws of Guyana.

13. Formal Communication between the Procuring Entity and the Supplier

- 13.1 Any notice given by one party to the other pursuant to the Contract shall be in force if it is done in writing and sent at the address of other party in the SCC.
- 13.2 A notice shall be effective when delivered or on the specified date, whichever is later.

14. Taxes and Duties

14.1 The Supplier shall be fully responsible for all taxes, duties, license taxes, etc., levied in accordance with the legislation of Guyana, and subject to the application of INCOTERMS in accordance with the SCC.

15. Retention

15.1 No retention shall be applied on consumables, but warranties, guarantees and expiry dates to apply.

Special Conditions of Contract (SCC)

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract.

GCC Clause No.	Special Conditions of Contract
1	Definitions
1.1 (f)	The Procuring Entity is Guyana Power and light of 40 Main Street Georgetown Guyana South America, Tele #592-226-9598, Fax#592 227-2180 Email: pkisseur@gplinc.com
1.1 (g)	The Supplier is Not Applicable
1.1 (8)	(indicate full name, legal address, phone, fax and e-mail of Supplier)
1.1(c)	List of Equipment.
3.1	A Performance Security will be required Fourteen (14) days after receipt of notification
	award in the amount and form of a Bank Guarantee or Managers Cheque not exceeding ten (10) percent of the Contract price.
4.1	Packing
	The packing, marking and documentation within and outside the packages shall be:
	Packing
	The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	Marking Marking shall be in accordance with international practice and shall be agreed with the Purchaser. The Goods shall be addressed for delivery to Guyana Power & Light, 40 Main Street, Georgetown, Guyana, South America.
5.1	Delivery, Transportation
	<u>Documentation</u>
	(a)For Imported Goods.
	Within 24 hours of shipment, the Supplier shall notify the Purchaser and the Insurance Company by email or telex or fax, the full details of the shipment including Contract number, description of Goods, quantity, the vessel, the bill of lading number and date, port of loading, date of shipment, port of discharge, etc.
	The Supplier shall mail the following Original documents to the Purchaser with a

copy to the insurance Company:

- (1) Supplier's invoice indicating a description, quantity, unit price of the Goods and sum total;
- (2) Shipping order, railway receipt or truck receipt;
- (3) Warranty certificate of Manufacturer or Supplier;
- (4) Inspection certificate issued by the authorized inspection service, and the supplier's factory inspection report (if any);
- (5) Certificate of origin;
- (6) Certificate of conformity;
- (7) Full set of ocean on-board bills of lading, of air waybills or courier/parcel post Certificates consigned to the Purchaser;
- (8) Packing list identifying contents of each package, and clearly showing Shipping marks and package numbers, kind of package, contents, dimensions and Gross weights of each package in pounds or kilos.

The above documents shall be received by the Purchaser at least two (2) weeks before arrival of Goods at the port or place of arrival and, if not received, the Supplier will be responsible for any consequent expenses.

6.1 Payment

The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:

Payment for Goods supplied:

Payment will be as follows:

Advance Payment:

Thirty (30) percent of the Contract Price shall be paid within thirty (30) days of signing of the Contract, and upon submission of claim and a bank guarantee for equivalent amount valid until the Goods are delivered and in the form provided in the bidding documents or another form acceptable to the Purchaser.

On Delivery:

Sixty (60) percent of the Contract Price of the Goods shipped shall be paid upon submission of claim and evidence that items are ready for shipment.

On Acceptance:

Ten (10) percent of the Contract Price of Goods received shall be paid within thirty (30) days of receipt of the Goods supported by the acceptance certificate issued by the Purchaser.

9.2	Liquidated Damages The liquidated damage shall apply and they shall be equivalent to one percent (1%) of the delivered price of the delayed Goods or unperformed services per each day of delay or part thereof until actual delivery.		
	The maximum amount of liquidated damages shall be: 10 percent (10 %) of the delayed Goods or services contract price.		
	Settlement of Disputes		
11.2	The rules of procedure for arbitration proceedings pursuant to GCC Sub-Clause 11.2 shall be as follows:		
	(a) Contract with foreign Supplier:		
	GCC 11.2 (a) Any dispute, controversy or claim arising out of or relating to this Contract, or breach, termination or invalidity thereof, shall be settled by arbitration in accordance with the UNCITRAL Arbitration Rules as at present in force.		
	(b) Contracts with Supplier national of the Purchaser's country:		
	In the case of a dispute between the Purchaser and a Supplier who is a national of the Purchaser's country, the dispute shall be referred to adjudication or arbitration in accordance with the laws of Guyana		
	(c) The Courts of Georgetown Guyana, shall have exclusive jurisdiction in all the matters arising in the contract including execution of Arbitration Awards		

The governing law shall be the law of Guyana

12.1

List of Goods and Price Schedule Supply of Equipment GPL-PD-043-2020

Lot	Types of Equipment	Quantity/ Unit	Unit Cost	Total Cost	Total Price including CIF delivered to Georgetown Guyana	Vat (Only applies to local bidders)	Country of Origin
1	Cherry Picker (New) w/ Insulated Overcenter Aerial Device providing a working height of 42.0ft (13m) and a working outreach of 20ft (6.1m)	3					
2	Fork Lift (New)	1					
3	Hiab/Crane Truck (New) with /Insulated Booms providing a working height of 60 ft to 80 ft						
4	4 Long Based Canter Truck (New) w/Drop Side Trays						
5	Excavator (New)	1					

Specifications

Three (3) New Cherry Pickers (13 m) and a working outreach	s with insulated overcenter aerial device providing a working height of 42.0 ft				
(15 m) und a working out cach	Specifications for item#1				
Design criteria	Design criteria are in accordance with current industry and engineering standards				
8	applicable and accepted for structural and hydraulic design.				
Year	2019/2020				
Turntable	A self locking worm gear rotation drive equipped with a bi-directional motor.				
Continuous & Unrestricted	A rotary hydraulic manifold which provides rotating oil distribution for a				
Rotation	continuous system .				
Hydraulic System	Full pressure open center hydraulic system.				
Miscellaneous	 a) A load chart stating actual lifting capacity considering all final options, chassis, body, outriggers, and other fixed equipment with final readings based on completed unit stability is standard. 				
	b) All metallic components of the complete aerial device are powder coat white.c) The fiberglass upper boom lower boom insert platforms and covers are				
	white. d) Two complete manuals providing operation and maintenance procedures and a replacement parts listing.				
	e) Warning decals are provided with unit.				
Engine Throttle Advance	An automatic two speed engine throttle control that will advance the engine to a				
	pre-set speed when the single stick enabling lever is engaged and decrease when it				
	is disengaged.				
Lower Controls	a) Individual control levers are provided and located in an accessible location				
	b) An upper/lower control selector provides override of platform controls.				
	c) Winch control at the lower controls.				
Demand Throttle Disable	Feature disables the Demand Throttle feature so that aerial device runs at low idle speed at all times.				
Auxiliary Let Down for use	a) Allows for the descent of the boom (platform) in the most direct manner for				
with Open Center	a time limited by the duty cycle of the electric motor.				
Hydraulics	b) Includes 12 volt electric motor for use on a 12 volt chassis.				
	Note: This includes a switch for activation at pedestal for electric or				
	air function.				
Sight Gauge With	a) Mounted within an aluminum body to protect sight tube.				
Thermometer	b) Installed on end of hydraulic oil reservoir.				
	c) Thermometer has a range of 0-300 degrees Fahrenheit.				
Controls for 1-Sets of	a) Recessed at rear of truck each side for ease of view for outrigger placement.				
Outriggers (Open center systems)	b) Includes switches and alarm for outrigger in motion alarm.				
Outrigger Interlock	To operate the boom the outriggers must be extended.				
Boom Stow Interlock In Addition to be used with Standard Boom Interlock	To operate the outriggers the boom must be in the stowed position and to operate the boom the				
Return Line Filter Condition Warning Light.	Includes light and a sensor to be installed after unit is mounted. Note: Does not include reservoir.				
Boom Stow Protection System	Protects against damage from excessive down pressure of the lower boom by cutting off oil supply to the lower boom function.				

One (1) New Forklift Truck to be utilized by the Inventory Department for internal and external use. Specifications for item#2				
Design criteria	Robust and Reliable Diesel Engine, Ergonomically design, Wide-view Mast, Fully Integrated Frame and Suspension Chassis, Excellent Cooling System and Heat Releasing System, Easy to maintain and repair, Lower Gravity, Emergency Stop Switch			
Year	2019/2020			
Power system	Duel Fuel (optional)			
Engine	This engine should be specially designed ,with low fuel consumption,less noise and vibration			
Cabin	The operator cabin must be designed considering its space, layout of the steering column and instrument displayer, file storage, suspension seat. The wide-view mast provides the operator with a wide visibility, improve the efficiency and guarantee the safety.			
Specifications	 3-5 Ton Dual wheel Rated capacity 3000 kg Load center 500 MM 4.5 m Triple Mast/ Pops Protection Power Shift Transmission Automatic High Profile Over Head Lights Lifting Height 17 Feet + Fuel Indicator Water Temperature Indicator Neutral and Display Indicator Hand Brakes Speedometer & Clock Display Standard Overhead Guard Power Steering This Should be 4 X 4 Must be capable to lift above 17' from floor level. Dual purpose to work indoor and outdoor. Fork lift should consist of a pole grabber. It should be capable of lifting spools of wire High profile 14'' and above to work (indoor and outdoor) 			

Five (5) New High/Craile Iri	ack with insulated booms providing a working height of 60.0 to 80.ft					
	Specifications for item#3					
Design criteria	These trucks must be specifically designed to work in an Electrical Utility					
	Company for the purpose of planting pools, installation of transformers, etc and					
	are in accordance with current industry and engineering standards applicable					
	and accepted for structural and hydraulic design.					
Continuous & Unrestricted	A rotary hydraulic manifold which provides rotating oil distribution for a					
Rotation	continuous system .					
Year	2019/2020					
Hydraulic System	Full pressure open center hydraulic system. This hydraulic system must be					
	designed with an intercooler system .					
Miscellaneous	f) A load chart stating actual lifting capacity considering all final options,					
	chassis, body, outriggers, and other fixed equipment with final readings					
	based on completed unit stability is standard.					
	g) All metallic components of the complete aerial device are powder coat.					
	h) The fiberglass upper boom lower boom insert platforms and covers are					
	white.					
	i) Two complete manuals providing operation and maintenance					
	procedures and a replacement parts listing.					
	j) Warning decals are provided with unit.					
Platform Leveling	a) Platform leveling control is located at the top controls for ease of					
	personnel rescue and platform debris clean out.					
	b) Hydraulic Platform Tilt is provided at platform and lower controls.					
	c) Engine Stop/Start controlled at platform and lower controls.					
Engine Throttle Advance	An automatic two speed engine throttle control that will advance the engine to a					
	pre-set speed when the single stick enabling lever is engaged and decrease when					
	it is disengaged.					
Dual Hydraulic Tool	a) Includes two flow controls.					
Outlets At Platform	b) Installed at the platform to accommodate two open center hydraulic					
	tools.					
	c) Tools cannot be operated simultaneously.					
	d) Includes port relief's to limit pressure to 2250 psi.					
Lower Controls	d) Individual control levers are provided and located in an accessible					
	location on the turntable.					
	e) An upper/lower control selector provides override of platform controls.					
	f) Winch control at the lower controls.					
Side Mounted Fiberglass	a) Includes (2) two outside access steps with a slip-resistant surface.					
Platform 24" x 48" x 42":	b) Two safety harnesses with lanyard is provided for fall arrest.					
(Curbside)	c) A padded saddle rest provides platform support during road travel.					
	d) Insulated Platform Liner For 24" x 48" x 42" Platform:Tested at 50 KV					
	AC.					
	e) Scuff Pad with Step to fit inside of a platform liner for a 24" x 48"					
	Platform: Non-skid standing surface.					
	f) Vinyl Foam Filled Platform Cover For 24" x 48" Platform: Water					
	resistance with internal elastic cord around edge.					
	g) 700 lbs. Rated Platform Capacity.					
Demand Throttle Disable	Feature disables the Demand Throttle feature so that aerial device runs at low					
	idle speed at all times.					
Auxiliary Let Down for use	c) Allows for the descent of the boom (platform) in the most direct manner					
with Open Center	for a time limited by the duty cycle of the electric motor.					

Hydraulics	d) Includes 12 volt electric motor for use on a 12 volt chassis.			
	Note: This includes a switch for activation at pedestal for electric or			
	air function.			
Sight Gauge With	d) Mounted within an aluminum body to protect sight tube.			
Thermometer	e) Installed on end of hydraulic oil reservoir.			
	f) Thermometer has a range of 0-300 degrees Fahrenheit.			
Controls for 1-Sets of	c) Recessed at rear of truck each side for ease of view for outrigger			
Outriggers (Open center	placement.			
systems)	d) Includes switches and alarm for outrigger in motion alarm.			
Outrigger Interlock	To operate the boom the outriggers must be extended.			
Pump for systems requiring	Fixed displacement vane pump providing 6 gallons per minute at 700 engine			
14 gallons per minute	rpm and 12 gallons per minute at 1400 engine rpm with a 95% pto.			
Boom Stow Interlock In	To operate the outriggers the boom must be in the stowed position and to			
Addition to be used with	operate the boom the			
Standard Boom Interlock				
Tool Tray	Fiberglass tool tray fits upper edge of platform. 19" x 8" x 7" deep.			
Return Line Filter	Includes light and a sensor to be installed after unit is mounted.			
Condition Warning Light.	Note: Does not include reservoir.			
Boom Stow Protection	Protects against damage from excessive down pressure of the lower boom by			
System	cutting off oil supply to the lower boom function.			
Specifications	Max. Reach: 80ft			
	• Max. SWL: 5.51 t (12263 lbs)			
	• Load moment: 235 kNm (173327 ft-lb)			
	Continuous Rotation: 360 deg			
	• Lifting Capacity: 5 tonnes @ a height of 40-50 ft			
	Equipped to do hotline work (the truck must be equipped to be grounded)			
	Should have a pole grabber to do pole planting			

Distribution Department I	or transporting staff and materials. Specifications for item#4		
Design criteria	Design criteria are in accordance with current industry and engineering standards applicable and accepted for structural and hydraulic design.		
Year	2019/2020		
Model	4 x 4		
Гуре	4 cylinder inline, overhead camshaft, common rail injection system water cooled, turbocharged with intercooler		
Manual Transmission	6 Forward 1 Reverse, overdrive		
Miscellaneous	• Length of tray – 20 feet		
	Width of tray – Wide Width		
	• Engine Capacity – 2800 – 3000 cc		
	• Tail Gate – 4-5 ton (lifting capacity)		
	• Drive train – 4 WD		
	Fuel- Diesel		
	Cab-AC/Power steering, Right hand drive		
	Axle-Single Axel		
	Height- High frame (for rough or uneven terram)		
	Bed- steel plate		
	Winch – Front or Rear		
Brakes	Dual Circuit Full Air Brakes		
Fuel System	Fuel tank capacity (100 L)		
Electrical Equipment	 Battery – 24 V (100Ah) Alternator – 75 Amp 		
Suspension	 Type - Semi elliptical leaf spring with shock absorbers Front - Suspension- Semi elliptical leaf spring (8), with Double acting shock absorbers Rear - Suspension - Semi elliptical leaf spring (Main leaf - 9 Helper leaf 8), with Double acting shock absorbers 		
Accessories	DVD / CD / MP3 / USD PORT SPARK ARRESTOR SUB - BATTERY		

One (1) New Excavator	r to be utilized by the Transmission & Distribution Department
	Specifications for item#5
Design criteria	Robust and Reliable Diesel Engine, Ergonomically design, Wide-view Mast, Fully Integrated Frame and Suspension Chassis, Excellent Cooling System and Heat
	Releasing System, Easy to maintain and repair, Lower Gravity, Emergency Stop
	Switch
Year	2019/2020
Power system	Dieseline
Engine	This engine should be specially designed ,with low fuel consumption,less noise and vibration
Cabin	The operator cabin must be designed considering its space, layout of the steering column and instrument displayer, file storage, suspension seat. The wide-view mast provides the operator with a wide visibility, improve the efficiency and guarantee the safety.
Specifications	Engine
	Engine Power – 70HP
	Engine Model – C3.4 b
	Hydraulic System
	Main System - Maximum Flow - 240 l/min (63.4 gal/min)
	Maximum Pressure – Equipment - 4424 psi
	Maximum Pressure – Swing - 3336 psi
	Maximum Pressure – Travel - 4424 psi
	Swing mechanism
	Swing Speed - 11.7 r/min
	Maximum Swing Torque - 22791 ft·lbf
	Swing Speed - 11.7 r/min
	Maximum Swing Torque - 22791 ft·lbf
	Weights
	Operating Weights – 29300lb
	Service Relief Capacities
	Fuel Tank Capacity - 66 gal (US)
	Cooling System - 4.7 gal (US)
	Engine Oil - 2.1 gal (US)
	Swing Drive - 0.8 gal (US)
	Final Drive – Each - 0.8 gal (US)
	Hydraulic System - Including Tank - 43.3 gal (US)
	Hydraulic Tank - 23.9 gal (US)

Dimensions

Boom - Reach 4.65 m (15'3")

Stick - R3 (9'10")

Bucket - GD .53 m³ (.69 yd³)

Height - Top of Cab - 10.33 ft

Length - 25 ft

Length - with Blade - 26.17 ft

Tail Swing Radius - 7 ft

Counterweight Clearance - 2.92 ft

Ground Clearance - 1.42 ft

Track Length - 12.33 ft

Length to Center of Rollers - 10 ft

Track Gauge - 6.5 ft

Transport Width - 8.83 ft

Bucket – this bucket must have a rigid hydraulic excavator thumb

,Adjustable, Easy to Install and Use

Working Ranges

Maximum Digging Depth - 19.75 ft

Boom - Reach 4.65 m (15'3")

Stick - R3 (9'10")

Bucket - GD .53 m3 (.69 yd3)

Maximum Reach at Ground Level - 28.25 ft

Maximum Cutting Height - 28.5 ft

Maximum Loading Height - 20.83 ft

Minimum Loading Height - 5 ft

Maximum Depth Cut for 2440 mm (8 ft) Level Bottom - 19.17 ft

Maximum Vertical Wall Digging Depth – 17.42 ft

Buckets Digging Force – ISO - 21400 lbf

Stick Digging Force – ISO - 12800 lbf

Bid Delivery Schedule

LOT	Types of Equipment	Named place of Destination as stated in the bid document	Earliest Delivery Date	Latest Delivery Date	Bidders offered Delivery date	Bid Security required
1	Cherry Picker (New) w/ Insulated Overcenter Aerial Device providing a working height of 42.0ft (13m) and a working outreach of 20ft (6.1m)	Georgetown Guyana	Fifteen (15) Weeks after receipt of Contract or Purchase Order	Twenty (20) Weeks after receipt of contract or Purchase Order		2 % of Bid Price
2	Fork Lift (New)	٠	٠.	٠		cc
3	New Hiab/Crane Truck w/Insulated Booms providing a working height of 60.0 to 80.0ft			··		···
4	Long Based Canter Truck (New) w/Drop Side Trays	٠.	دد	cc		cc
5	Excavator (New)	"	دد	٠.		cc

I hereby certify that information provided is true and correct		
	Signature	

QUALIFICATION INFORMATION

1.	For marvioual bladers or marvio	uai members of a joint ver	nture	
1 1 1	Legal status of Bidder (attach copy).			
	Place of registration:			
]	Principal kind of business:			
]	Power of attorney for signing the Bid	(attach).		
1.2 T	Total volume of supplies executed for in 2017		uyana dollars or curren	cy of bid:
	in 2018	.		
_	in 2019).		
1.3 S supp	Supplies of a similar nature executed b	y the Supplier during the la	st two years (not less th	nan three (3)
Nº	Name of Goods	Name of Clients, address and telephone	Contract Price	
1.4	Copies of financial reports for the l reports, etc.).List below and attach		eta, teaa ana pregusan	
3.5	Evidence of access to financial reseand attach copies of supporting do		of credit, overdraft faci	lity etc.).List below
3.6	Evidence of compliance with NIS, (attach supporting documents).	IRD and TIN Certificate ar	nd VAT Registration fo	r Vatable item/s.

3.7	Information on all claims, arbitration or other legal proceedings currently being examined or a settled.								or alre	eady		
									_			
2.0	Any	other	information	required	by	the	Procuring	Entity	to	execute	the	Contract
2.1 I certi	norm	ative leg	certifies that he cal documents.		-		ation criteria	and requ	ıirem	ents, in ac	cordai	nce with
(1	Full nar	me)		(Title)				(Signatu	ıre an	nd seal)		
Dated	l on:	(Date)	day of			20_	<u></u> .					

SUPPLIER'S BID

Date:
IFB No:
TO:
(Name and address of Procuring Entity)
Dear Sir / Madam,
Having examined the bidding documents, including the Annexes and Addenda No [specify number], the receipt of which is hereby acknowledged, we, the undersigned, offer to supply and provide [description of goods and related services] in accordance
with the requirements of the bidding documents to the total sum of [Total Amount of Bid in Words and Figures]
confirmed by the attached Price Schedule which is a part of this Bid.
(a) We, including all subcontractors, regarding any part of the Contract, in accordance with the bidding documents, have no conflict of interests pursuant to sub clause 2 (i) of the Instructions to Bidders;
(b) We, including all subcontractors, regarding any part of the Contract, in accordance with the bidding documents, have not been declared by the [authorized State body] [National Board] on procurement to be ineligible, or are not ineligible, in accordance with the legislation of Guyana.
We undertake, if our Bid is accepted, to supply the Goods, in accordance with a delivery schedule given in the Schedule of Requirements.
If our Bid is accepted, we undertake to furnish the Performance security in the form of to the amount of, comprising% of the Contract Price in order to execute the Contract properly and within the time period(s) specified in the Bidding Documents.
We hereby confirm that this bid shall be valid during days starting from the date established for bid opening, and it shall be binding until the expiry of the indicated period.
Prior to the preparation and execution of a formal Contract, this Bid together with your written confirmation of its acceptance shall form a binding Contract on the parties.
We understand that you are not bound to accept the lowest or any bid you receive.
Dated
Duly authorized to sign the Bid
(Name of Supplier)

Supply Contract

THIS	CONT	RAC	T made	the	da	y of _		20)					
Betw	een					[name	e of Pr	ocuring Er	itity] (hei	einafter r	eferred	to as "tl	he	
					nd, and					[na	me of	Supplie	r] from	1
					[city and o	countr	y of Su	pplier] (he	ereinafter	referred t	o as "tl	ne Supp	lier"), c	n
the of	ther hand	l hav	e come	to an A	Agreement or	the fo	ollowin	g:						
The	Procuri	ing	Entity	has	announced			-		-				-
Supp	lier's	bid	for	the	supply o	f in	dicated	goods ar d goods words and	and	services	to	the	sum	of
Conti	ract Price	e").				,, 111		,, 0100 011		, (notem	u1101 1	ciciica	to us	inc

THIS CONTRACT WITNESSES AS FOLLOWS:

- 1. In this Contract, the terms and expressions have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 4. The following documents shall form the Contract and shall be deemed its integral part,

viz.:

- (a) Procuring Entity's Notification of Award;
- (b) Bid and Price Schedule submitted by Bidder;
- (c) Schedule of Requirements;
- (d) Technical Specifications;
- (e) General Conditions of Contract;
- (f) Special Conditions of Contract;
- (g) Other documents included in the Contract documents;
- 5. This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.
- 6. In consideration of the payments to be made by the Procuring Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Procuring Entity to provide the Goods and Services, and remedy defects therein in conformity in all respects with the provisions of the Contract.
- 7. The Procuring Entity hereby agrees to pay the Supplier in consideration of the delivery of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS of the foresaid, the parties hereto have caused this Contract to be executed in accordance with the legislation of Guyana the day and year first above written in the beginning of the document.

For and on behalf of the Procuring Entity:

Signed by	
Witnesses:	
1	
2	
For and on behalf of the Contractor:	
Signed by	
Witnesses:	
Witnesses: 1	

BID SECURITY (Bank Guarantee)

	eas eady to	submit his bid dated	[dat	f Bidder] (hereinafter referred as "the Bidder") to of bid submission] for the supply the referred as "the Bid"),
		[address of	Bank], (hereinafter	[name of Bank] from our registered office at the address referred as "the Bank"), are bound to [ty] to the sum of, by which
behalt shall j	f of its n provide f f of the F	e indicated Procuring Entity slame, its successors and authofor activity on issuance of the g	nall be made in whole a rized persons. This is t guarantee, and the perso pard of Directors, or of O	and in a timely manner; the Bank is bound on to confirm that the license issued to the Bank on(s) signing that guarantee is entitled to act on General Stockholders Meeting is required, it is
THE	CONDI	ΓΙΟΝS of this obligation are as	s follows:	
1. 2.	If the E (a) (a) (b)	Withdraws his Bid during the If the Bidder having receive the period of bid's validity: fails or rejects to sign the Cor	ed notice from the Product at the request of;	specified by the Bidder on the Form of Bid; or ocuring Entity that his bid is accepted within or accordance with the Instructions to Bidders;
needing the Pr	ng the Procuring	rocuring Entity to show grou	nds or reasons of that	receipt of his first written request, without request, provided that the sum requested by one or two or both conditions, specifying the
				asive following the expiry of the bid validity taler than the abovementioned date.
(Full	name of	Bank's representative)	(Title)	(Signature and seal)
Datea	l on «	» day of	_20	

Bid-Securing Declaration –Not Applicable

[The Bidder shall fill in this Form if applicable pursuant to BDS.]

Date:	
IFB No.	::
Anemai	ive No.:
To:	
We, the	undersigned, declare that:
1.	We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.
2.	We accept that we will automatically be suspended from being eligible for bidding in any contract with the Purchaser for the period of time of[insert number of months or years] starting on[insert date], if we are in breach of our obligation(s) under the bid conditions, because we:
(a)	have withdrawn our Bid during the period of bid validity specified by us in the Bidding Data Sheet; or
(b)	having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the ITB.
3.	We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.
4.	We understand that if we are a Joint Venture, the Bid Securing Declaration must be in the name of the Joint Venture that submits the bid. If the Joint Venture has not been legally constituted at the time of bidding, the Bid Securing Declaration shall be in the names of all future partners as named in the letter of intent.
Signed:	[insert signature of person whose name and capacity are shown] In the
capacity	of[insert legal capacity of person signing the Bid Securing Declaration]
Name: _	[insert complete name of person signing the Bid Securing Declaration]
•	thorized to sign the bid for and on behalf of: [insert complete name of Bidder] n day of, 20 [insert date of signing]

Manufacturer's Authorization

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid, if so indicated in the **BDS**.]

Date of Bid Submission(day/ mon	nth/ year):
IFB No:[insert number of bidding	process]
Alternative No.:[insert identification	on No if this is a Bid for an alternative]
То:	[insert complete name of Purchaser]
WHEREAS	
authorize purpose of which is to subsequently negotiate and sign the	ee and warranty in accordance with Clause 1.3 of the General Conditions of
Signed:	[insert signature(s) of authorized representative(s) of the
Name:	[insert complete name(s) of authorized representative(s) of the
Title:	[insert title]
Duly authorized to sign this Autho <i>Bidder</i>]	prization on behalf of:[insert complete name of
Dated on day of	20 [insert date of signing]

PERFORMANCE SECURITY (Bank Guarantee)

TO:		
[Name of Proce	uring Entity]	
in accordance with the Contract No	[Contract	called "the Supplier") has undertaken, number] dated 20 and Services] (hereinafter called "the
-		the Supplier shall furnish you with a rity for compliance with the Supplier's
AND WHEREAS we have agreed to f	furnish the Supplier with a security,	
Supplier, up to a total of	n, on your first request notifying of the um or sums within the above limits,	responsible to you on behalf of the(amount of security in words and ne Supplier's default with the Contract, as aforesaid, without your needing to
and the Supplier by Additional Agrees we waive any notice of modification, of the Contract Conditions by the Sup- activity on issuance of a bank guarant	ment shall in no way release us from addition, or amendment. This guaran oplier. Also, we confirm that the licen tee, and the person signing the guara of Directors or of General Stockhold	In may be made by the Procuring Entity in obligations under the Guarantee, and atee shall be valid until full completion use issued to the Bank shall provide for antee is entitled to act on behalf of the ders Meeting is required, it is already
This guarantee shall be valid till the	day of20	
representative) (Title)	(Signature and seal)	(Full name of Bank's
Dated on day of	20	
Address of the Bank issuing guarantee		

Letter of Acceptance

(Letterhead paper of Procuring Entity)

Date:				
To:				
	me of Supplier)			_
(Add	ress of Supplier)			
We hereby notify you that your bid dated the	day of (description	of goods	, for the supply) up to	of goods a total
of			-	
(Amount t	n figures and words)			
Simultaneously, we send you the Form of Co Instructions to Bidders, during seven (7) days to address. Jointly with the signed Contract, we req with ITB Clause 20.2.	o sign and date the	Form of Con	tract, and return	n it at our
You hereby entrusted to start supply of the Goods	, in accordance with	the terms and	conditions of a C	Contract.
Name of agency				
Full name and Title				
Signature of Authorized Representative				

Power of Attorney

TO:		[name of Procuring Enti	ty]
		[name and/	[name of Supplier], who is the
do hereby au Representative	thorize		[name and address of Supplier's ed on Invitation for Bids for the abovementioned
	[Full name, title, s	ignature for and on behal	f of Supplier]
	» day of Date)	20	(Seal)
-	•		paper of the Supplier, and signed by a competent de this power of attorney in his Bid.

Evaluation and Qualification Criteria

Evaluation Criteria

The Purchaser's evaluation of a bid may take into account, in addition to the Bid Price the following:-

- (a) All documents are properly signed.
- (b) Delivery schedule. (As per <u>Incoterms 2010</u> specified in the BDS)

 The Goods specified in the List of Goods are required to be delivered within the acceptable time range (after the earliest and before the final date, both dates inclusive) specified in Section V1, Delivery Schedule. No credit will be given to deliveries before the earliest date, and bids offering delivery after the final date shall be treated as non responsive. Within this acceptable period, a maximum of <u>10 points</u> will be awarded to bidders that deliver the goods to dates closer to the earliest delivery date.
- (c) Performance Specifications and productivity of the items- evidence of the performance reliability of these items shall be provided in this bid. A maximum of **15 points** will be awarded in this category.
- (d) Any warranty and guarantee given. The bidder that offer the maximum warranty period shall be considered as the best option and for bid comparison a maximum of **15 points** will be awarded.
- (e) The projected operating and maintenance costs during the life of the equipment: A maximum of <u>10</u> <u>points</u> will be awarded for in this category for the highest ranked item.
- (f) Availability in the Purchaser's Country of spare parts and after sales services for equipment offered in the bid **10 points**
- (g) Best Price 40 points

The Criteria provided for the contract to be awarded to the bidder whose bid is determined to be substantially technically responsive to the bid document and who (Scores the highest Points) offers the lowest evaluated price.