

STANDARD BIDDING DOCUMENTS



GUYANA POWER AND LIGHT INC

Procurement of Goods

IFB # GPL- PD - 018 - 2019

Supply of Equipment

May 2019

Closing Date: Monday June 10, 2019 @ 14:00 hrs or 2:00pm
Bid Opening: Monday June 10, 2019 @ 14:30 hrs or 2:30pm

Invitation for Bids (IFB)
Cooperative Republic of Guyana
IFB# GPL - PD - 018 - 2019

The Guyana Power and Light Incorporated (GPL) invite sealed bids from eligible bidders for the **Supply of Equipment.**

The bidding documents can be purchased for a non refundable fee of G\$5,000 from the Procurement Manager, Guyana Power and Light Incorporated, 40 Main Street Georgetown Guyana or a copy can be downloaded free of cost from our web site www.gplinc.net.

Bids must be submitted with a valid **National Insurance (NIS), Inland Revenue (GRA) compliance certificates** and deposited in the Tender Box located at GPL's Board Room 91 Duke Street Kingston Georgetown Guyana.

A bid Security of 2 % of the tendered amount must be submitted along with the bid.

Bids shall be valid for 90 days after the date of bid opening.

Bid envelopes must be addressed as follows;

Bid for the Supply of Equipment GPL - PD - 018 - 2019

**The Secretary to the Tender Board
Guyana Power and Light Incorporated.
91 Duke Street, Kingston, Georgetown**

Deadline for submission of bids is 14:00 hrs (2.00 pm) on **Monday, June 10th, 2019.**

Bid opening is scheduled for 14:30 hrs (2:30 pm) on **Monday, June 10th, 2019** at GPL's Board Room 91 Duke Street, Kingston, Georgetown, Guyana in the presence of Bidders/ Representatives who may choose to attend.

IMPORTANT: Bidders downloading the bid document are advised to forward a registration email to pkisseur@gplinc.com or supv_procurement@gplinc.com stating the following: Name of Bidder, Address, Contact No and Email address.

The above information will be used to inform bidders of any amendments to the bidding document and also to forward all responses to queries.

GPL reserves the right to reject any or all bids.

CONTENTS

| | |
|---------------------------------------|----|
| Invitation For Bids (IFB) | 2 |
| Instruction To Bidders (ITB) | 4 |
| Bid Data Sheet (BDS) | 11 |
| General Conditions of Contract (GCC) | 13 |
| Special Conditions of Contract (SCC) | 17 |
| Schedule of Requirements | 20 |
| Technical Specifications | 21 |
| Bid Delivery Schedule | 30 |
| Qualification Information | 31 |
| Suppliers Bid | 33 |
| Contract | 34 |
| Bid Security | 36 |
| Bid Securing Declaration | 37 |
| Manufacturer's Authorization | 38 |
| Performance Security | 39 |
| Letter of Acceptance | 40 |
| Power of Attorney for Signing the Bid | 41 |
| Evaluation and Qualification Criteria | 42 |

INSTRUCTIONS TO BIDDERS

A. Introduction

1. Description of the Procurement

The Procuring Entity is Guyana Power and Light, Inc who intends to procure the goods identified in the *Bid Data Sheet* and in the Schedule of Requirements.

2. Eligibility and qualifications of Bidders

2.1 In order to be awarded a procurement contract, Bidders should possess the technical and financial capacity needed to perform the contract, should fulfill their tax and social insurance fund liabilities in Guyana, and should not currently be subject to a debarment penalty, and must comply with the specific eligibility and qualification requirements referred to in the *Bid Data Sheet*. Bidders shall provide the information and any supporting documentation required by the Qualification Information Form.

2.2 The bidders should not have a conflict of interests, including involvement in more than one bid in this proceeding, should not be associated nor have been associated in the past, directly or indirectly, with any agency or any of its representative, affiliate, that have been engaged by the Procuring Entity to provide consulting services at the preparation stage of the bidding documents, technical specifications and other documentation that are subject to be used in the procurement of goods which must be purchased in accordance with the Invitation for Bids. In case when the indicated facts are discovered, the Bidder's bid shall be rejected.

B. Bidding Documents

3. Clarification and amendment of bidding Documents

3.1 The Procuring Entity, in not more than three (3) working days, will respond in writing (including by fax or electronic mail) to any request for clarification of the bidding documents to be received (in writing, including by fax or electronic mail) not later than 10 days before the expiry of a deadline for submission of bids. At the same time, the Procuring Entity's response shall without identifying its source of the request, be distributed to all bidders who have received the bidding documents from the Procuring Entity.

3.2 At any time before the deadline for submission of bids, the Procuring Entity may amend the bidding documents by issuing an Addendum and notifying it to the prospective bidders.

C. Preparation of Bid

4. Language of Bid

4.1 The bid prepared by the Bidder, as well as all correspondence and documents related to that bid and exchanged by the Bidder and the Procuring Entity shall be written in the language *specified in the Bid Data Sheet*.

5. Documents Included in Bid

5.1 The bid prepared by the Bidder should contain the Form of Bid, the Price Schedules and the other documents to be submitted in accordance with these Instructions to Bidders.

6. Bid Price

6.1. Subject to the choice of INCOTERMS as indicated in the Bid Data Sheet, the prices given in the Price Schedule shall include all transportation costs to the destination point indicated in the Contract, all taxes, duties, payments collected, in accordance with the laws of Guyana and delivery related and other costs on performing of contractual obligations.

6.2. The prices offered by the Bidders shall remain fixed during the whole period of Contract performance and shall not be modified in any circumstance.

7. Bid and Payment Currency

7.1 The prices shall be indicated in UK Pounds, US Dollars and Euros for Foreign Suppliers and Guyana Dollars for Domestic Suppliers, unless otherwise specified in the *Bid Data* sheet.

8. Bid Security / Bid Securing Declaration

8.1 Unless otherwise provided in the *Bid Data Sheet*, the Bidder shall furnish, as part of his bid, a Bid Security, in the form, currency and amount specified in the *Bid Data Sheet* with a validity period for not less than 2 weeks upon the expiry of the bid validity period and in line with the form provided, or, if so indicated in the BDS, a Bid Securing Declaration in accordance with the form provided. **A Bid Securing Declaration is not required.**

8.2 The bid security may be forfeited, or the Bid Securing Declaration executed, if the Bidder:

- (a) withdraws his/her bid after it is opened during the period of validity specified in the bid; or,
- (b) having been awarded the contract fails:
 - (1) to sign the contract on the terms and conditions provided in his bid; or
 - (2) to furnish the Performance Security, if required to do so.

9. Period of Validity of Bid

9.1 Bids shall remain in force during the period specified in *the Bid Data Sheet* after the date of bid opening.

10. Format, Signing and submission of Bid

10.1 The Bidder shall prepare an original and one (1) copy of the bid, which shall be typed or written in indelible ink, and shall be signed by the Bidder, or by the person (persons) duly authorized to sign the bid in accordance with the power of attorney to be submitted with the bid. All pages of the bid where new information, modifications or erasures entered shall be initialed (signed) by the person or persons signing the bid. In the event of discrepancies between them, the original shall prevail.

- 10.2 The bid shall contain no interlineations, erasures or overwriting, except the cases when the Bidder needs to correct errors which must be initialed by the person or persons signing the bid.
- 10.3 The Bidder shall seal the original and each copy of the bid in different envelopes, marking them “**ORIGINAL**” and “**COPY**”, as appropriate. The envelopes shall then be sealed in an outer envelope.
- 10.4 The inner and outer envelopes shall:
- (a) be addressed to the Procuring Entity at the address specified in the Invitation for Bids.
 - (b) bear the Invitation for Bids (IFB) title and number and the words: “**DO NOT OPEN BEFORE,**” the date specified in the Bid Data Sheet.
 - (c) indicate the name and address of the Bidder. **Alternative bids are not permitted.**

11. Deadline for Submission of Bids

- 11.1 Bids must be received by the Procuring Entity at the address and within the periods specified in *the Bid Data Sheet*. All bids received by the Procuring Entity upon the expiry of a period established for submission of bids as indicated by the Procuring Entity shall be rejected and returned to the Bidder unopened.

12. Modification and Withdrawal of Bids

- 12.1 The Bidder may modify or withdraw his bid after the bid’s submission, provided that the Procuring Entity will receive a written notice of modification, including substitution or withdrawal of bid until the expiry of established period for submission of bids.
- 12.2 The Bidder’s modification or withdrawal notice shall be prepared, sealed, marked, and sent in accordance with the provisions of ITB Clause 10. In that case the outer and inner envelopes will be additionally marked as “**MODIFICATION**” or “**WITHDRAWAL**”, as appropriate. A withdrawal notice may also be sent as a telegram by telex or fax with a subsequent written confirmation by post-office not later than the deadline for submission of bids.

E. Opening and Evaluation of Bids

13. Opening of Bids

- 13.1 The Procuring Entity will open all bids in the presence of bidders’ representatives who wish to attend, at the time, on the date, and at the address specified in the *Bid Data Sheet*. The bidders’ representatives who are present shall sign a register evidencing their attendance.
- 13.2 The bidders’ names, bid prices, including alternatives (if alternatives permitted), information on the presence or absence of required bid security, or bid securing declaration, information on the presence (absence) of tax debts and debts of social insurance payments will be announced at the opening. No bid may be rejected at the opening, exclusive of late bids to be returned to the Bidder unopened.

13.3 Bids (and modifications sent pursuant to ITB Clause 12.2 that are not opened and read out during the bid opening shall not be accepted for further evaluation, regardless of circumstances.

14. Evaluation of Bids

14.1 During the evaluation of bids, the Procuring Entity may, at his discretion, request the Bidder to provide clarification of his bid. The request for clarification and the response thereto shall be made in writing, and in that case no change in price or substance of the bid shall be sought, offered, or permitted.

14.2 The Procuring Entity shall determine the responsiveness of each bid to requirements of the bidding documents. For the purposes of this Clause a substantially responsive bid is one which satisfies all the indicated provisions without a material deviation or reservation.

14.3 The Procuring Entity may waive any minor nonconformity, or small mistake or inaccuracy in the bid which are not a material deviation from the requirements of the bidding documents, and such non-conformity or inaccuracy will not affect the bid evaluation. To the extent feasible and appropriate, for the purposes of comparing bids, acceptable deviations shall be quantified in monetary terms, and reflected in adjustments to the bid price (for the purposes only of comparison of bids).

14.4 Arithmetical errors shall be rectified in the following manner. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words shall be preferable. If the Bidder disagrees with such correction of errors, his bid shall be rejected.

14.5 The Procuring Entity shall evaluate and compare only the bids that are determined to be responsive to the bidding documents.

14.6 The methodology to adjust the price to reflect the price of the missing or non-conforming item or component is the average price of the item of all responsive bids.

15. Confidentiality and Contacting the Procuring Entity

15.1 No Bidder shall contact the Procuring Entity on any matter related to his bid from the date of bid opening until the date of contract award, except for requests related to clarification of the bid. Information concerning the evaluation of bids is confidential.

15.2 Any effort by the Bidder to influence the Procuring Entity's decision on bid evaluation and comparison, or contract award may result in the rejection of that Bidder's bid.

F. Award of Contract

16. Award Criteria

16.1 Subject to ITB Clause 18, the Procuring Entity will award the Contract to the Bidder whose bid is determined to be substantially responsive to the requirements of the bidding documents, and who offered **the Lowest Evaluated Bid**, provided that the Bidder has been

determined:

(a) to be eligible pursuant to Clause 2;

(b) to comply with qualification requirements, in accordance with Clause 2, and any technical requirements and technical evaluation criteria disclosed in the bidding documents.

17. Procuring Entity's Right to Vary Quantities at Time of Entering into a Contract

17.1 The Procuring Entity reserves the right, when entering into a contract, to increase or decrease the quantity of goods and related services specified in the Schedule of Requirements, by the percentage indicated in the *Bid Data Sheet*, no change in the unit price or other conditions shall be made (an increase of quantity not exceeding 10 percent variation).

18. Procuring Entity's Right to Accept Any Bid and to reject All Bids

18.1 The Procuring Entity reserves the right to accept or reject any bid or all bids, and to cancel the bidding process at any time prior to award of contract, without thereby incurring any liability to Bidders and without being required to inform the Bidder or Bidders of reasons of such actions.

19. Notification of Award

19.1. The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period.

19.2. The notice of acceptance shall be equal to entering into a Contract, provided that the Bidder furnishes the performance security and the signed Contract.

19.3. At the same time that the Procuring Entity notifies the successful Bidder in accordance with sub-clause (1), the Procuring Entity will notify all other Bidders of the name of successful Bidder, and his bid price.

19.4 The evaluation report and comparison of bids will not be sent to bidders.

20. Signing of Contract and performance security

20.1 At the same time with notification of award, the Procuring Entity will send the successful Bidder the Form of Contract contained in the bidding documents. The successful Bidder shall sign and date the Contract, and return it to the Procuring Entity during seven (7) days of receipt of notice of award.

20.2 Together with the signed Contract, the Bidder shall, if required to do so by the *Bid Data Sheet*, furnish the Procuring Entity with a Performance Security in the amount and form specified in the *Bid Data Sheet*.

20.3 If the successful Bidder fails to furnish the performance security, if required to do so, or during 14 (fourteen) days fails to return the Contract signed by him, then it shall be a sufficient ground to refuse the award of Contract, and to forfeit the bid security, or execute

the bid-securing declaration. In that case the Procuring Entity shall award the Contract to the next lowest evaluated Bidder, subject to the right of the Procuring Entity to reject all bids.

21. Settlement of disputes

21.1 To settle the disputes which may arise during the execution of Contract, the parties shall follow the procedure referred to in the *Bid Data Sheet*.

22. Corrupt and Fraudulent Practices

22.1 The Procuring Entity requires that Bidders observe the highest standards of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Procuring Entity:

(a) will reject the bid if it establishes that the Bidder recommended for award has engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract in question;

(b) will declare the Supplier, for indefinite or specified period of time, to be ineligible to participate in state-financed biddings, in accordance with applicable debarment procedures.

23. Compliances

23.1 Bidder registered in Guyana must submit valid certificates of compliances from Guyana Revenue Authority (GRA), National Insurance Scheme (NIS), and (VAT registration is required only if item being supplied is Vatable).

24. Defects Liability:

24.1 The “Defects Liability Period” for the goods and related services is twelve (12) months from the date of taking over possession or such other period as may be specified in the Bid Data Sheet. During this period, the supplier will be responsible for replacing any defective item free of cost to the Procuring Entity.

25. Inspection and Testing

25.1 The Supplier shall at its own expense and at no cost to the Purchaser carry out all testing and/or inspections of the Goods and Related Services as are specified in the Technical Specification. Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser.

The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.

- 25.2 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract.
- 25.3 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.4 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice.
- 26.5 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of any report, shall release the Supplier from any warranties or other obligations under the Contract.

Bid Data Sheet (BDS)

The following specific data to clauses of the provisions of Instructions to Bidders which supplement, or amend the provisions of the Instructions to Bidders (ITB) whenever there is a conflict, the provisions herein shall prevail over those in ITB

| Item No. | |
|-------------------|---|
| ITB 1.1 | Guyana Power and Light ,Inc of 40 Main Street Georgetown Guyana Telephone#592-226-9598 Email: pkisseur@gplinc.com or supv_procurement@gplinc.com The subject of the procurement is: Supply of Equipment. |
| ITB 2.1 | To qualify for award of the Contract, the bidders shall provide satisfactory evidence to the Purchaser of their capability and adequacy of resources to carry out the Contract effectively: <ul style="list-style-type: none"> (a) Copies of original documents defining the constitution or legal status, place of registration and principal place of business. (b) Experience as a supplier in carrying out of 2 (two) or more supplies of Similar items within the last 3 (three) years. (c) Average Turnover for the last three years should be a least US\$2,000,000.00. (d) Evidence of access to lines of credit and availability of other financial resources. (e) Evidence compliance with NIS, GRA, Vat registration if applicable (Only applies to local Supplier). (f) To be covered by an express warranty period of twelve (12) month. (g) Manufacturers authorization form. (h) Must provide Pictures and Brochures of the Equipment that will be supplied giving full disclosure of their Technical details. |
| ITB 4.1 | Language of Bid shall be English |
| ITB 5.1 | Other documents to be submitted includes; GRA and NIS Compliances, (TIN Certificate and Vat Registration if the item/s being procured attracts Vat). Only applies to suppliers whose registered office is within Guyana |
| ITB 6.1 | The price quoted by bidders shall be on the basis of CIF for goods delivered from abroad and for goods delivered from within Guyana Incoterms 2010 shall apply. Suppliers should quote with the understanding they can be awarded One or all Line items. |
| ITB 7.1(a) | For Goods and Related Services with origin in the Purchaser's country, the currency of the bid shall be Guyana Dollars (GY\$) (Supplier's with registered business in Guyana must submit their bid in Guyana Dollars (GY\$). |
| ITB 7.1(b) | For Supplier's outside of the Purchaser country the currency of the bid can be US\$, GBP or a freely convertible currency. |
| ITB 7.1(c) | The currency that will be used for bid evaluation and comparison purposes to |

| | |
|-----------------|--|
| | <p>convert all bid prices expressed in various currencies into a single currency is the US\$.</p> <p>The source of exchange rate shall be the Bank of Guyana, and the selling rate shall be used.</p> <p>The date for exchange rate shall be ten days before the opening of tenders.</p> |
| ITB 8.1 | A bid security of 2% of the tendered sum is required. A signed Bid Securing Declaration is not required. |
| ITB 9.1 | The period of validity of bid is 90 Days. |
| ITB 11.1 | <p>Deadline and place for submission of bids: 14:00 hours on Monday 27th May, 2019.</p> <p>Attention: Secretary to the Tender Board, Guyana Power and Light, Inc 91 Duke Street, Kingston Georgetown Guyana South America.</p> |
| ITB 13.1 | Time and place for opening of bid: 14: 30 hours on Monday 27th May, 2019, The Board Room, Guyana Power and Light, Inc, 91 Duke Street, Kingston, Georgetown, Guyana, South America. |
| ITB 17.1 | When entering into a contract the Procuring Entity reserves the right to Increase or decrease quantities of goods by 10%. |
| ITB 20.2 | The performance security shall be 10% of the Contract Price and in the form of a Bank Guarantee or Managers Cheque. |
| ITB 21.1 | Disputes that may arise in the performance of the contract shall be settled in accordance with the Laws of Guyana. |
| ITB 24.1 | To assure that manufacturing defects shall be corrected by the Supplier, an express warranty is required from the Supplier for a minimum period of twelve (12) months after acceptance of the delivery by the Procuring Entity. |
| ITB 25.1 | In the event of the Supplier not being the original manufacturer of the equipment, the Supplier shall provide all relevant technical data to confirm that it meets industry standards |

General Conditions of Contract (GCC)

The General Conditions are the Standard General Conditions of Contract. No alteration shall be made on the pages of these Conditions. The Procuring Entity, when amending or supplementing the General Conditions of Contract should do so only in the Special Conditions of Contract. Any amendment or addenda of the General Conditions of Contract shall conform to the legislation of Guyana.

1. Definitions and application

1.1 This Contract lists below the terms that have the following interpretation:

- (a) “**Contract**” means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Form of Contract signed by the parties, including all attachments and appendices thereto and all the documents referenced therein;
- (b) “**Contract Price**” means the price payable to the Supplier under the Contract for complete and proper performance of his contractual obligations;
- (c) “**Goods**” means the item(s) referred to in the SCC;
- (d) «**GCC**» - means the General Conditions of Contract contained in this Section;
- (e) “**SCC**» - means the Special Conditions of Contract;
- (f) “**Procuring Entity**” – means the Procuring entity carrying out the procurement of Goods, specified in the SCC;
- (g) “**Supplier**” – means an individual or legal entity, or a combination of any above mentioned forms which operate under the existing agreement as a joint venture and supply the Goods and Services under the Contract;
- (h) “**Day**” – means calendar day.

1.2 The General Conditions of Contract shall apply in the procurement of goods; the specific amendment, addition and alteration shall be indicated in the Special Conditions of Contract.

1.3 Warrant requirements are as may be specified in the special conditions of contract.

2. Contract Documents

2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The contract shall be read as a whole.

3. Performance Security

3.1 If required by the SCC, during fourteen (14) days of receipt of notification of award, the successful Bidder shall furnish the Procuring Entity with the performance security the

amount and form of which are indicated in the SCC.

4. Packing

- 4.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to final destination specified in the Contract, and as may be required by the Special Conditions of Contract.

5. Delivery, Transportation, Mobilization Advance

- 5.1 The Supplier must deliver the Goods within the periods and to the Destination point indicated in the Schedule of Requirements and shall provide the documentation indicated in the SCC. Subject to the SCC, transportation of the Goods to the place specified by the Procuring Entity shall be carried out and paid by the Supplier, and related costs shall be included in the Contract Price.

6. Payment

- 6.1 The payment to the Supplier for the Goods delivered shall be made in accordance with the Contract in the form and within the periods specified in the SCC.

7. Prices

- 7.1 Prices established by the Supplier in the Contract for goods delivered shall not vary from the prices quoted by the Supplier in his bid.

8. Assignment

- 8.1 The Supplier shall not assign, in whole or in part, his obligations under the Contract to the third party for the execution without the Procuring Entity's prior written consent.

9. Delays in the Supplier's Performance and liquidated damages

- 9.1 Delivery of the Goods shall be carried out by the Supplier, in accordance with the schedule indicated by the Procuring Entity in the *Delivery Schedule*.
- 9.2 Except for provided under GCC Clause 13, the delay in the Supplier's performance of his delivery obligations shall render the Supplier liable for payment of liquidated damages in the amount specified in the SCC, unless an extension of time is agreed upon by the parties without application of liquidated damages. Once the maximum deduction specified in the SCC is reached, the Procuring Entity may consider termination of the Contract, in accordance with Clause 10 of the General Conditions of Contract.

10. Termination

- 10.1 The Procuring Entity, without detriment to any other sanctions of infringement of the provisions of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:

- (a) if the Supplier fails to deliver the portion or all of the Goods within the periods provided for in the Contract, or within an extension period of that Contract, or to perform any of his obligations under the Contract;
 - (b) if bankruptcy procedures are applied to the Supplier, or it is declared insolvent.
 - (c) if the Supplier, in the Procuring Entity's opinion, has engaged in corrupt, fraudulent, collusive or coercive practices when entering into or executing the Contract;
 - (d) if the Procuring Entity deems that continued implementation of the contract would no longer be expedient from the standpoint of the public interest
- 10.2 The notice of termination shall specify the reason of termination, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- 10.3 Notwithstanding clauses 9 and 10.1, the Supplier shall not forfeit his performance security, and shall not be liable for payment of liquidated damages, or termination for default, if delay in executing the Contract or failure to perform obligations under the Contract is the result of an event of force majeure. When force majeure arises, the Supplier shall promptly notify the Procuring Entity in writing of such circumstance and its causes.
- 10.4 When the contract is terminated in accordance with clause 10.1(d), the Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Entity at the Contract terms and prices. For the remaining Goods, the Procuring Entity may elect:
- (a) to have any portion completed and delivered at the Contract terms and prices; and/or
 - (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

11. Settlement of Disputes

- 11.1 If any dispute or disagreement arises between the Procuring Entity and the Supplier for the Contract or in connection with it, the parties shall make every effort to resolve the dispute or disagreement amicably by mutual consultation.
- 11.2 If during twenty one (21) days, the parties failed to resolve their dispute or disagreement by mutual consultation; either the Procuring Entity or the Supplier may send the other party the notice of intent to commence arbitration, if an arbitration is incorporated in the Contract in the Special Conditions of Contract or otherwise agreed by the parties, or in the Court of General Jurisdiction if no arbitration is envisaged, and no arbitration or litigation in respect of that matter may be commenced unless such notice is given.

Any dispute or disagreement in respect of which the notice of intent is sent to commence trial shall be heard by the [Court of General Jurisdiction].

- 11.3 Notwithstanding any reference to dispute settlement herein, the parties shall continue to

perform their obligations under the Contract, unless they agree otherwise.

12. Applicable Law

12.1 The Contract shall be interpreted in accordance with the laws of Guyana.

13. Formal Communication between the Procuring Entity and the Supplier

13.1 Any notice given by one party to the other pursuant to the Contract shall be in force if it is done in writing and sent at the address of other party in the SCC.

13.2 A notice shall be effective when delivered or on the specified date, whichever is later.

14. Taxes and Duties

14.1 The Supplier shall be fully responsible for all taxes, duties, license taxes, etc., levied in accordance with the legislation of Guyana, and subject to the application of INCOTERMS in accordance with the SCC.

15. Retention

15.1 No retention shall be applied on consumables, but warranties, guarantees and expiry dates to apply.

Special Conditions of Contract (SCC)

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract.

| GCC Clause No. | Special Conditions of Contract |
|----------------|--|
| 1 | Definitions |
| 1.1 (f) | The Procuring Entity is Guyana Power and light of 40 Main Street Georgetown Guyana South America, Tele #592-226-9598, Fax#592 227-2180 Email: <i>pkisseur@gplinc.com</i> |
| 1.1 (g) | The Supplier is Not Applicable <i>(indicate full name, legal address, phone, fax and e-mail of Supplier)</i> |
| 1.1(c) | List of Equipment. |
| 3.1 | A Performance Security will be required Fourteen (14) days after receipt of notification award in the amount and form of a Bank Guarantee or Managers Cheque not exceeding ten (10) percent of the Contract price. |
| 4.1 | <p>Packing The packing, marking and documentation within and outside the packages shall be:</p> <p><u>Packing</u></p> <p>The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.</p> <p><u>Marking</u> Marking shall be in accordance with international practice and shall be agreed with the Purchaser. The Goods shall be addressed for delivery to Guyana Power & Light, 40 Main Street, Georgetown, Guyana, South America.</p> |
| 5.1 | <p>Delivery, Transportation</p> <p><u>Documentation</u></p> <p>(a) For Imported Goods.</p> <p>Within 24 hours of shipment, the Supplier shall notify the Purchaser and the Insurance Company by email or telex or fax, the full details of the shipment including Contract number, description of Goods, quantity, the vessel, the bill of lading number and date, port of loading, date of shipment, port of discharge, etc.</p> |

| | |
|-------------------|---|
| | <p>The Supplier shall mail the following Original documents to the Purchaser with a copy to the insurance Company:</p> <ol style="list-style-type: none"> (1) Supplier’s invoice indicating a description, quantity, unit price of the Goods and sum total; (2) Shipping order, railway receipt or truck receipt; (3) Warranty certificate of Manufacturer or Supplier; (4) Inspection certificate issued by the authorized inspection service, and the supplier's factory inspection report (if any); (5) Certificate of origin; (6) Certificate of conformity; (7) Full set of ocean on-board bills of lading, of air waybills or courier/parcel post Certificates consigned to the Purchaser; (8) Packing list identifying contents of each package, and clearly showing Shipping marks and package numbers, kind of package, contents, dimensions and Gross weights of each package in pounds or kilos. <p>The above documents shall be received by the Purchaser at least two (2) weeks before arrival of Goods at the port or place of arrival and, if not received, the Supplier will be responsible for any consequent expenses.</p> |
| <p>6.1</p> | <p>Payment The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:</p> <p>Payment for Goods supplied:</p> <p>Payment will be as follows:</p> <p>Advance Payment: Thirty (30) percent of the Contract Price shall be paid within thirty (30) days of signing of the Contract, and upon submission of claim and a bank guarantee for equivalent amount valid until the Goods are delivered and in the form provided in the bidding documents or another form acceptable to the Purchaser.</p> <p>On Delivery: Sixty (60) percent of the Contract Price of the Goods shipped shall be paid upon submission of claim and evidence that items are ready for shipment.</p> <p>On Acceptance: Ten (10) percent of the Contract Price of Goods received shall be paid within thirty (30) days of receipt of the Goods supported by the acceptance certificate issued by the Purchaser.</p> |

| | |
|--------------------|---|
| <p>9.2</p> | <p>Liquidated Damages The liquidated damage shall apply and they shall be equivalent to one percent (1%) of the delivered price of the delayed Goods or unperformed services per each day of delay or part thereof until actual delivery.</p> <p>The maximum amount of liquidated damages shall be: 10 percent (10 %) of the delayed Goods or services contract price.</p> |
| <p>11.2</p> | <p>Settlement of Disputes The rules of procedure for arbitration proceedings pursuant to GCC Sub-Clause 11.2 shall be as follows:</p> <p><i>(a) Contract with foreign Supplier:</i></p> <p>GCC 11.2 (a) Any dispute, controversy or claim arising out of or relating to this Contract, or breach, termination or invalidity thereof, shall be settled by arbitration in accordance with the UNCITRAL Arbitration Rules as at present in force.</p> <p><i>(b) Contracts with Supplier national of the Purchaser's country:</i></p> <p>In the case of a dispute between the Purchaser and a Supplier who is a national of the Purchaser's country, the dispute shall be referred to adjudication or arbitration in accordance with the laws of Guyana</p> <p>(c) The Courts of Georgetown Guyana, shall have exclusive jurisdiction in all the matters arising in the contract including execution of Arbitration Awards</p> |
| <p>12.1</p> | <p>The governing law shall be the law of Guyana</p> |

**List of Goods and Price Schedule
Supply of Equipment GPL-PD-018-2019**

| Lot | Types of Equipment | Quantity/Unit | Unit Cost | Total Cost | Total Price including CIF delivered to Georgetown Guyana | Vat (Only applies to local bidders) | Country of Origin |
|------------|--|----------------------|------------------|-------------------|---|--|--------------------------|
| 1 | One (1) new Bucket Truck with insulated overcenter aerial device providing a working height of 60.0 ft (18.3 m) and a side reach of 48.2 ft (14.7 m) overcenter and a horizontal reach of 42.8 ft (13.0 m) non-overcenter. | 4 | | | | | |
| 2 | One (1) new Utility Vehicle with Articulating / Telescoping Aerial Device providing a working height of 12.6 m (41.5 ft) and a side reach of 6.1 m (20.0 ft) with an end mount platform. Unit must be mounted on a 4*4 RHD Crew Cab Vehicle. | 4 | | | | | |
| 3 | One (1) new Rotating Digger Derrick with a turntable ,front winch and mounted on a 6x 6 chassis . | 2 | | | | | |

| | | |
|---|---|--|
| One (1) new Bucket Truck with insulated overcenter aerial device providing a working height of 60.0 ft (18.3 m) and a side reach of 48.2 ft (14.7 m) overcenter and a horizontal reach of 42.8 ft (13.0 m) non-overcenter. | | |
| Specifications for item#1 | | |
| Design criteria | Design criteria are in accordance with current industry and engineering standards applicable and accepted for structural and hydraulic design. | |
| Turntable | A self locking worm gear rotation drive equipped with a bi-directional motor. | |
| Continuous & Unrestricted Rotation | A rotary hydraulic manifold which provides rotating oil distribution for a continuous system . | |
| Hydraulic System | Full pressure open center hydraulic system. | |
| Miscellaneous | <ul style="list-style-type: none"> a) A load chart stating actual lifting capacity considering all final options, chassis, body, outriggers, and other fixed equipment with final readings based on completed unit stability is standard. b) All metallic components of the complete aerial device are powder coat white. c) The fiberglass upper boom lower boom insert platforms and covers are white. d) Two complete manuals providing operation and maintenance procedures and a replacement parts listing. e) Warning decals are provided with unit. | |
| Boom with 116 degree lower boom articulation to ground access in the non-overcenter position. | Lower Boom | Filament wound high strength fiberglass insert providing an insulation gap. |
| | Upper Boom | <ul style="list-style-type: none"> a) Filament wound tapered fiberglass boom providing a clear span insulation gap b) Automatic latch upper boom rest. |
| Boom Tip with Hydraulic Platform Rotator | Upper Controls: "Control-Plus" single stick controller. | <ul style="list-style-type: none"> a) Enable lever must be actuated before operation. b) The platform rotator offering 90 degrees of forward rotation. |
| Platform Leveling | <ul style="list-style-type: none"> a) Platform leveling control is located at the top controls for ease of personnel rescue and platform debris clean out. b) Hydraulic Platform Tilt is provided at platform and lower controls. c) Engine Stop/Start controlled at platform and lower controls. | |
| Engine Throttle Advance | An automatic two speed engine throttle control that will advance the engine to a pre-set speed when the single stick enabling lever is engaged and decrease when it is disengaged. | |
| Dual Hydraulic Tool Outlets At Platform | <ul style="list-style-type: none"> a) Includes two flow controls. b) Installed at the platform to accommodate two open center hydraulic tools. c) Tools cannot be operated simultaneously. d) Includes port relief's to limit pressure to 2250 psi. | |
| Lower Controls | <ul style="list-style-type: none"> a) Individual control levers are provided and located in an accessible location on the turntable. b) An upper/lower control selector provides override of platform controls. c) Winch control at the lower controls. | |

| | |
|--|---|
| Side Mounted Fiberglass Platform 24" x 48" x 42": (Curbside) | <ul style="list-style-type: none"> a) Includes (2) two outside access steps with a slip-resistant surface. b) Two safety harnesses with lanyard is provided for fall arrest. c) A padded saddle rest provides platform support during road travel. d) Insulated Platform Liner For 24" x 48" x 42" Platform: Tested at 50 KV AC. e) Scuff Pad with Step to fit inside of a platform liner for a 24" x 48" Platform: Non-skid standing surface. f) Vinyl Foam Filled Platform Cover For 24" x 48" Platform: Water resistance with internal elastic cord around edge. g) 700 lbs. Rated Platform Capacity. |
| Demand Throttle Disable | Feature disables the Demand Throttle feature so that aerial device runs at low idle speed at all times. |
| Simplified Compact Hydraulic Extend Under Load Jib and Winch | <ul style="list-style-type: none"> a) Infinite positioning through the 120-degree articulation envelope (-20 to +105 degrees) b) Load radius of 0 to 65" c) Hydraulic Extension to reposition the jib (no re-pinning required). d) The jib's compact size barely goes below the bottom of the platform. e) Includes a 2000 lb. full drum capacity self-locking worm gear winch complete with 1/2" x 75' load line with swivel hook and latch and a load chart. |
| Auxiliary Let Down for use with Open Center Hydraulics | <ul style="list-style-type: none"> a) Allows for the descent of the boom (platform) in the most direct manner for a time limited by the duty cycle of the electric motor. b) Includes 12 volt electric motor for use on a 12 volt chassis. Note: This includes a switch for activation at pedestal for electric or air function. |
| Terex Chassis Controller (DTS51) 12 volt | <ul style="list-style-type: none"> a) Display Screen - Provides Inputs and Outputs indication for trouble shooting. b) Warning screens. c) Switch Buttons have LED indicators to show when active. d) Recommended for all Class 6 and above Chassis types. e) One system for all Chassis Types f) Controller programmable for communication with different Chassis manufacturers. |
| Sight Gauge With Thermometer | <ul style="list-style-type: none"> a) Mounted within an aluminum body to protect sight tube. b) Installed on end of hydraulic oil reservoir. c) Thermometer has a range of 0-300 degrees Fahrenheit. |
| Controls for 1-Sets of Outriggers (Open center systems) | <ul style="list-style-type: none"> a) Recessed at rear of truck each side for ease of view for outrigger placement. b) Includes switches and alarm for outrigger in motion alarm. |
| Outrigger Interlock | To operate the boom the outriggers must be extended. |
| Pump for systems requiring 14 gallons per minute | Fixed displacement vane pump providing 6 gallons per minute at 700 engine rpm and 12 gallons per minute at 1400 engine rpm with a 95% pto. |
| Boom Stow Interlock In Addition to be used with Standard Boom Interlock | To operate the outriggers the boom must be in the stowed position and to operate the boom the |
| Tool Tray | Fiberglass tool tray fits upper edge of platform. 19" x 8" x 7" deep. |
| Return Line Filter Condition Warning Light. | Includes light and a sensor to be installed after unit is mounted. Note: Does not include reservoir. |
| Boom Stow Protection | Protects against damage from excessive down pressure of the lower boom by |

| | |
|---------------|---|
| System | cutting off oil supply to the lower boom function. |
| | <ul style="list-style-type: none"> a) The pedestal is designed with access holes for maintenance of hydraulic plumbing. b) Aerial device is designed as a Category C machine in accordance and is dielectrically tested and rated for operation on systems up to 46 KV phase to phase per ANSI/SIA A92.2-2015 c) A 30 gallon hydraulic oil reservoir is provided and includes a 100 mesh filter, a 10u return filter and a ball type shut off valve. d) Sub-frame constructed with an open center. e) Tie Down Kit. f) Extra Heavy Duty A-Frame Outriggers with swivel type stabilizer pads and 6" club feet. (8348). g) Galvanized unit pedestal and up ILO powder coat finish. |

One (1) new Utility Vehicle with Articulating / Telescoping Aerial Device providing a working height of 12.6 m (41.5 ft) and a side reach of 6.1 m (20.0 ft) with an end mount platform. Unit must be mounted on a 4*4 RHD Crew Cab Vehicle.

Specifications for item#2

| | | |
|---|---|--|
| Design criteria | Design criteria are in accordance with current industry and engineering standards applicable and accepted for structural and hydraulic design. | |
| Lower Controls | Individual control levers should be located in an accessible location on the turntable. | |
| Boom Tip with 4 Function Controls and Platform Rotator | Upper Controls: Control-Plus" single stick controller. | <ul style="list-style-type: none"> a) Enable lever must be actuated before operation. b) Hydraulic Platform Rotator for End Mount Platform. c) Hydraulic Platform Tilt is provided at platform and lower controls. d) Engine Stop/Start controlled at platform and lower controls. e) Hydraulic Tool Outlets at Platform. |
| | Lower Boom | Filament wound high strength fiberglass insert (providing an insulation gap). |
| | Upper Boom | <ul style="list-style-type: none"> a) Filament wound high strength fiberglass boom (providing an insulation gap). b) A boom rest with a ratchet type tie down strap. |
| | Rotation | 370 degrees non-continuous rotation. |
| Aerial device is designed as a Category C machine in accordance and is dielectrically tested and rated for operation on systems up to 46 Kv phase to phase per ANSI/SIA A92.2-2015 | | |
| Hydraulic System | <ul style="list-style-type: none"> a) Full pressure open center hydraulic system. b) Hydraulic hoses are equipped with permanent type fittings. c) An external 5.7 gallon hydraulic oil reservoir provided with a replaceable cartridge type 10-micron return line filter, a 100-mesh filter screen, sight gauge and a ball type shut off valve. | |
| Miscellaneous | <ul style="list-style-type: none"> a) All metallic components of the complete aerial device are powder coat white. b) The fiberglass upper boom, boom inserts, platforms and covers are white. c) Two complete manuals/software providing operation and maintenance procedures and a replacement parts listing. d) Warning decals. | |
| Round Pedestal | Round pedestal to be included with continuous rotation. | |
| Platform 61 cm x 122 cm x 107 cm (24" x 48" x 42"): | <ul style="list-style-type: none"> a) One end mounted fiberglass platform with a rated capacity of 200 Kg (440 lbs.) b) Includes one (1) outside access step with slip-resistant surface. c) Two safety harnesses with lanyards. d) A Padded saddle rest provides platform support during road travel. e) Insulated Platform Liner For 24" x 48" x 42" Platform: f) Tested at 50 KV AC. g) Scuff Pad with Step to fit inside of a platform liner for a 24" x 48" Platform: | |

| | |
|---|---|
| | <ul style="list-style-type: none"> h) Non-skid standing surface. i) Vinyl Foam Filled Platform Cover For 24" x 48" Platform: j) Water resistance with internal elastic cord around edge. k) Two Speed Throttle at Boom Tip #456814. |
| Auxiliary Pump | <ul style="list-style-type: none"> a) Allow the operation of any function for a time period limited by the battery life. b) Includes 24 volt electric motor for use on a 24 volt chassis. Note: This includes a switch for activation at pedestal for electric or air function. |
| Mounting Kit | Behind cab mount for use with torsion bars. |
| Controls For 1-Sets of Outriggers And Auxiliary Tool Outlets (Open center systems) | <ul style="list-style-type: none"> c) Recessed at rear of truck each side for ease of view for outrigger placement. d) Includes switches and alarm for outrigger in motion alarm. |
| Outrigger Interlock | To operate the boom the outriggers must be extended. |
| Chassis Controller 24 volt | <ul style="list-style-type: none"> a) Provides Inputs and Outputs indication for trouble shooting. b) LED indicators to show when active (recommended for all 24v applications). c) Controller programmable for communication with different Chassis manufacturers. |
| Tool Tray | <ul style="list-style-type: none"> a) Fiberglass tool tray fits upper edge of platform. 19" x 8" x 7" deep. b) Orange Wet Paint ilo Standard White. Orange #GC-64578. c) Extended aerial device warranty, two (2) year, in lieu of standard one year warranty for ship out unit only. d) Rubber wheel chocks with eye bolt. e) Zinc prime unit subframe outrigger tie down kit controls f) 66 Feet of grounding cable with clamp. g) Bracket For Grounding Cable. h) 2ea 18 inch x 18 inch x 1 inch poly outrigger pads. i) 2ea Outrigger pad storage for 18x18x1 outrigger pads. j) 2ea Five gallon water cask. k) 1ea Double beacon bracket. l) 2ea Federal Signal rotating beacon. m) 2ea Beacon branch guards. |
| | <ul style="list-style-type: none"> a) Sub-frame b) Customer Decline Pump c) H-FRAME (412022) |

| One (1) new Rotating Digger Derrick with a turntable ,front winch and mounted on a 6x 6 chassis . | | |
|--|---|---|
| Specifications for item#3 | | |
| Design criteria | Design criteria are in accordance with current industry and engineering standards applicable and accepted for structural and hydraulic design. | |
| Elevation | From +80 degrees above horizontal to -20 degrees below horizontal. | |
| Dual Lift Cylinders | Double-acting cylinders with chrome plated rods and integral holding valves. Trapezoid mounting design offers greater boom support and stability providing less wear and longer life. Either cylinder can hold the rated lifting capacity of the derrick. | |
| Boom | Steel Lower Boom | The boom is a fabricated box utilizing high-strength steel plates. |
| | Steel Intermediate Boom | Fabricated box constructed of high strength steel. Powered by a double acting hydraulic cylinder equipped with integral holding valves on both extend and retract ports. |
| | Fiberglass Hydraulic Upper Boom | <ul style="list-style-type: none"> a) Capable of lifting the hydraulic capacity of the derrick in all positions. b) Tested and rated for line voltage up to and including 46 KV AC. c) Tapered non-metallic rollers mounted at the end of the intermediate boom support the fiberglass boom under load minimizing scratches and abrasions. The sides of the fiberglass boom are supported and guided by non-metallic rollers to reduce tracking. |
| | Continuous And Unrestricted Rotation | A hydraulic rotary manifold provides a rotating oil distribution system for continuous and unrestricted rotation. |
| Miscellaneous | <ul style="list-style-type: none"> a) Relief valves to protect the derrick circuits and digger-winch circuits. b) Hydraulic hoses are equipped with permanent type hose fittings. c) A custom load chart stating actual lifting capacity considering all final options, chassis, body, outriggers, and other fixed equipment with capacity based on completed unit stability is included. d) A boom-angle indicator and decal are mounted on each side of the lower boom. e) All metallic components of the complete digger derrick device are prime painted. f) Two complete manuals providing operational and maintenance procedures, and a replacement parts listing. g) Warning decals provided with unit. | |
| Turntable Winch Including Transferable Pole Buddy Assembly | 15,000 lb. bare drum capacity planetary winch equipped with hydraulic counterbalance valve mounted on the derrick turntable. Equipped with flanged pole buddy transferable from intermediate boom to upper boom. | |
| Bare Boom Lift Capacities | a) Boom Angle: All Booms Retracted | |

| | |
|--|---|
| | <ul style="list-style-type: none"> b) Maximum Elevation: 38050 lbs. c) 10 Ft. Radius: 18100 lbs. |
| Work Zone Capacities | <ul style="list-style-type: none"> a) Median Digging Radius: 26.9 ft. b) Digging Capacity at Median Radius: 3194 lbs. c) Lift Capacity at Median Radius: 5025 lbs. |
| Sheave Height | <ul style="list-style-type: none"> a) With intermediate boom extended, 47.2 ft. at maximum elevation. b) With upper boom extended, 60.0 ft. at maximum elevation. c) Dimensions are based on a 40" chassis frame height. |
| Load Radius | <ul style="list-style-type: none"> a) 37.3 ft. from C/L of rotation, at 0 degree, intermediate boom extended. b) 50.3 ft. from C/L of rotation, at 0 degree, upper boom extended. |
| Customer Decline Pump | |
| RH Inside Access Command Post | <ul style="list-style-type: none"> a) Allows access into command post between boom and console of the command post. b) Glycerin filled pressure gauge is provided to monitor system pressure. c) Permanent type control decals are provided. d) Adjustable cushioned operator seat is provided as standard and includes side rails. e) Hydraulic foot throttle. f) Includes a control and horn. g) Stop/start at control station. |
| Pole Guide and Interlock For Transferable Pole Buddy | <ul style="list-style-type: none"> a) Hydraulic cylinders equipped with holding valves operate the tilt and open/close on pole guide arms. b) Pole guide hoses are contained in a chain type carrier, installed on the side of the boom. c) Transfers from the end of the intermediate boom to the end of the upper boom and vice versa. d) The pole guide is installed on the transferable pole buddy flange assembly. e) Protects both the pole guide and the boom from accidental damage caused by extending the upper boom while the pole guide is on the intermediate boom and tilted downward. Includes actuating plunger and two poppet valves. |
| Exclusive Single Stick T" Control | <ul style="list-style-type: none"> a) Control allows one hand to operate three functions: rotation, boom elevation, and intermediate boom extension. b) Upper boom extension and other functions have individual controls. |
| Pole Claw Arms | Unique circular design of arms that handle poles up to 23 inch diameter. |
| Load Moment Limiter (Hydraulic Overload Protection) for Boom system | <ul style="list-style-type: none"> a) An Operator aid to prevent damage to the derrick by stopping selected functions if an over load occurs. The functions necessary to eliminate the overload condition remain operational, to relieve the cause of overload. b) Disables boom down, boom extend, winch up, and digger dig when boom lift senses an overloaded condition. c) The system is fully automatic relative to the operation and re-set functions. d) Planetary slip brake rotation. |
| Customer Declined, Anti-Two Block | Purchaser is aware of OSHA Crane and Derrick standard, subpart CC for construction (1926.1416). |
| 14,000 ft-lb Two Speed | <ul style="list-style-type: none"> a) Planetary gear drive powered by reversible hydraulic motor. |

| | |
|---|---|
| Digger With Hydraulic Shift (Mark IV) | b) Telescopic trombone tube is provided to shift the two-speed digger hydraulically. |
| LH Auger Storage and Digger Hanger | <ul style="list-style-type: none"> a) Digger hanger bracket is box section and is equipped with a transfer protection system, auger stowage bracket with self latching auger catch and hydraulic auger release. b) The auger stowage bracket stores up to a 24" diameter auger, in the standard position. c) Digger storage protection system to protect the auger storage cable from damage caused by over-winding. Oil from the digger system is returned to tank before the cable is over-stressed. d) |
| Solid Hex Auger Shaft with Coupler | <ul style="list-style-type: none"> a) 60" long x 2-5/8" hex auger shaft with auger adjustment holes. b) Terex Texoma 18" TXD (dirt tooth auger) x 104" long - 60" of 5/16" flighting, 2 5/8" hex bushing. Rollup dish and cable pin welded in place and auger painted Terex Red. c) Terex Texoma 24" TXD (dirt tooth auger) x 104" long - 60" of 5/16" flighting, 2 5/8" hex bushing. Rollup dish and cable pin welded in place and auger painted Terex Red. d) Operator light at controls at command post/console. e) Wire rope cable for auger roll-up. |
| Pedestal | Square constructed pedestal has access holes for maintenance of hydraulic plumbing. |
| Pole Puller | <ul style="list-style-type: none"> a) Rated Capacity is 60,000 lbs. b) Base plate dimension is 8 in. x 12 in. c) 7 feet of steel chain. |
| Pump For Use (Required Approximate 120% PTO): | <ul style="list-style-type: none"> a) Tandem vane high efficiency 3000 psi rated hydraulic pump providing 40 gallons per minute combined flow. b) Provides 16 gallons per minute to boom functions and 24 gallons per minute to digger/winch functions and combines flow when boom is not in operation providing 40 gallons per minute to digger/winch at 1600 rpm engine speed, boom extension is faster than winch. c) Provides up to 6 gallons per minute for tools at 700 rpm engine speed. d) Includes pump kit. <p>FOR GENERAL ONLY: With the use of Radio Controls.</p> |
| Hydraulic Reservoir | <ul style="list-style-type: none"> a) 50 gallon hydraulic oil reservoir includes 10 micron replaceable cartridge type return line filter mounted in reservoir with bypass valve incorporated in filter to prevent restricted flow. b) A 100 mesh in screen in filter cap. A 40 mesh screen included in tank outlet and a 2 1/2" full flow gate type shut off valve. c) Relief valves to protect the derrick circuits and digger-winch circuits. |
| Sight Gauge With Thermometer | <ul style="list-style-type: none"> a) Mounted within an aluminum body to protect sight tube. b) Installed on end of hydraulic oil reservoir. c) Thermometer has a range of 0-300 degrees Fahrenheit. |
| Controls For 2-Sets Of Outriggers And Auxiliary Tool Outlets Below | <ul style="list-style-type: none"> a) Recessed at rear of truck each side for ease of view for outrigger placement. b) Includes switches and alarm for outrigger in motion alarm. |

| | |
|--|---|
| Rotation (Diggers): | |
| Outrigger Interlock | To operate the boom the outriggers must be extended. |
| Remote Sensor Bracket | Bracket to be used with the Williams remote sensor. Installed to supply sensor to work with truck engine. |
| Chassis Controller 12 volt | <ul style="list-style-type: none"> a) Display Screen - Provides Inputs and Outputs indication for trouble shooting. b) Warning screens. c) Switch Buttons have LED indicators to show when active. d) Recommended for all Class 6 and above Chassis types. e) One system for all Chassis Types f) Controller programmable for communication with different Chassis manufacturers. |
| Hydraulic Pole Tamper | <ul style="list-style-type: none"> a) Kidney Foot. b) 71" L with hose end valve. c) Reversible on/off valve for open or closed center systems. |
| Spring loaded hydraulic hose reel with 4-way roller assembly. | <ul style="list-style-type: none"> a) 50' of 1/2" Hose Set. b) Quick disconnect HTMA male and female flush faced couplers and dust covers. c) Installed on hose reel with ball stop. |
| | <ul style="list-style-type: none"> a) Gunnebo Johnson 7JH swivel hook. b) 15 Ton Pintle Hook. c) Zinc prime unit subframe outriggers tie down kit and controls. d) 130 Feet of 1 1/8 Inch Nylon Winch Rope. e) Subframe constructed with an closed center. f) Tie down kit. g) Adjustable flow divider for auxiliary tool outlets below rotation. h) Extra Heavy Duty A-Frame Outriggers with swivel type stabilizer pads and 6" club feet. (9289) i) Clevis for two part line attachment. |

| LOT | Types of Equipment | Named place of Destination as stated in the bid document | Earliest Delivery Date | Latest Delivery Date | Bidders offered Delivery date | Bid Security required |
|-----|---|--|--|---|-------------------------------|-----------------------|
| 1 | One (1) new Bucket Truck with insulated overcenter aerial device providing a working height of 60.0 ft (18.3 m) and a side reach of 48.2 ft (14.7 m) overcenter and a horizontal reach of 42.8 ft (13.0 m) non-overcenter | Georgetown Guyana | Fifteen (15) Weeks after receipt of Contract or Purchase Order | Twenty (20) Weeks after receipt of contract or Purchase Order | | 2 % of Bid Price |
| 2 | One (1) new Utility Vehicle with Articulating / Telescoping Aerial Device providing a working height of 12.6 m (41.5 ft) and a side reach of 6.1 m (20.0 ft) with an end mount platform. Unit must be mounted on a 4*4 RHD Crew Cab Vehicle | | | | | |
| 3 | One (1) new Rotating Digger Derrick providing a working height of 70 ft ,inclusive of a turntable ,front winch and mounted on a 6x 6 chassis | | | | | |

I hereby certify that information provided is true and correct. _____
Signature

QUALIFICATION INFORMATION

1. For individual bidders or individual members of a joint venture

1.1 Legal status of Bidder (*attach copy*).

Place of registration: _____

Principal kind of business: _____

Power of attorney for signing the Bid (*attach*).

1.2 Total volume of supplies executed for the last three (3) years in Guyana dollars or currency of bid:

_____ in 201__.

_____ in 201__.

_____ in 201__.

1.3 Supplies of a similar nature executed by the Supplier during the last two years (*not less than three (3) supplies*)

| Nº | Name of Goods | Name of Clients, address and telephone | Contract Price |
|-----------|----------------------|---|-----------------------|
| | | | |
| | | | |
| | | | |

1.4 Copies of financial reports for the last three years (*balance sheets, loss and profit statements, auditors' reports, etc.*). List below and attach copies.

3.5 Evidence of access to financial resources (*cash in hand, lines of credit, overdraft facility etc.*). List below and attach copies of supporting documents.

3.6 Evidence of compliance with NIS, IRD and TIN Certificate and VAT Registration for Vatable item/s. (*attach supporting documents*).

3.7 Information on all claims, arbitration or other legal proceedings currently being examined or already settled.

2.0 Any other information required by the Procuring Entity to execute the Contract

2.1 The Supplier certifies that he meets all the qualification criteria and requirements, in accordance with normative legal documents.

I certify the authenticity of all the above information.

(Full name)

(Title)

(Signature and seal)

Dated on: _____ day of _____ 2019.
(Date)

SUPPLIER'S BID

Date: _____

IFB No: _____

TO: _____
(Name and address of Procuring Entity)

Dear Sir / Madam,

Having examined the bidding documents, including the Annexes and Addenda No _____ [specify number], the receipt of which is hereby acknowledged, we, the undersigned, offer to supply and provide _____ [description of goods and related services] in accordance with the requirements of the bidding documents to the total sum of _____ [Total Amount of Bid in Words and Figures], confirmed by the attached Price Schedule which is a part of this Bid.

- (a) We, including all subcontractors, regarding any part of the Contract, in accordance with the bidding documents, have no conflict of interests pursuant to sub clause 2 (i) of the Instructions to Bidders;
- (b) We, including all subcontractors, regarding any part of the Contract, in accordance with the bidding documents, have not been declared by the [authorized State body] [National Board] on procurement to be ineligible, or are not ineligible, in accordance with the legislation of Guyana.

We undertake, if our Bid is accepted, to supply the Goods, in accordance with a delivery schedule given in the Schedule of Requirements.

If our Bid is accepted, we undertake to furnish the Performance security in the form of _____ to the amount of _____, comprising _____% of the Contract Price in order to execute the Contract properly and within the time period(s) specified in the Bidding Documents.

We hereby confirm that this bid shall be valid during _____ days starting from the date established for bid opening, and it shall be binding until the expiry of the indicated period.

Prior to the preparation and execution of a formal Contract, this Bid together with your written confirmation of its acceptance shall form a binding Contract on the parties.

We understand that you are not bound to accept the lowest or any bid you receive.

Dated _____.

Duly authorized to sign the Bid _____
(Name of Supplier)

Supply Contract

THIS CONTRACT made the _____ day of _____ 20__

Between _____ [name of Procuring Entity] (hereinafter referred to as "the Procuring Entity"), on the one hand, and _____ [name of Supplier] from _____ [city and country of Supplier] (hereinafter referred to as "the Supplier"), on the other hand have come to an Agreement on the following:

The Procuring Entity has announced bid for procurement of goods and services, namely _____ [brief description of goods and related services] and has accepted the Supplier's bid for the supply of indicated goods and services to the sum of _____ [Contract Price in words and figures] (hereinafter referred to as "the Contract Price").

THIS CONTRACT WITNESSES AS FOLLOWS:

1. In this Contract, the terms and expressions have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
4. The following documents shall form the Contract and shall be deemed its integral part, viz.:
 - (a) Procuring Entity's Notification of Award;
 - (b) Bid and Price Schedule submitted by Bidder;
 - (c) Schedule of Requirements;
 - (d) Technical Specifications;
 - (e) General Conditions of Contract;
 - (f) Special Conditions of Contract;
 - (g) Other documents included in the Contract documents;
5. This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.
6. In consideration of the payments to be made by the Procuring Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Procuring Entity to provide the Goods and Services, and remedy defects therein in conformity in all respects with the provisions of the Contract.
7. The Procuring Entity hereby agrees to pay the Supplier in consideration of the delivery of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS of the foresaid, the parties hereto have caused this Contract to be executed in accordance with the legislation of Guyana the day and year first above written in the beginning of the document.

For and on behalf of the Procuring Entity:

Signed by _____

Witnesses:

1. _____

2. _____

For and on behalf of the Contractor:

Signed by _____

Witnesses:

1. _____

2. _____

BID SECURITY
(Bank Guarantee)

Whereas _____ *[name of Bidder]* (hereinafter referred as "the Bidder") is ready to submit his bid dated _____ *[date of bid submission]* for the supply _____ *[name and/or description of goods]* (hereinafter referred as "the Bid"),

KNOW ALL PEOPLE, that WE _____ *[name of Bank]* from _____ *[name of country]*, having our registered office at the address _____ *[address of Bank]*, (hereinafter referred as "the Bank"), are bound to _____ *[name of Procuring Entity]* to the sum of _____, by which payment to the indicated Procuring Entity shall be made in whole and in a timely manner; the Bank is bound on behalf of its name, its successors and authorized persons. This is to confirm that the license issued to the Bank shall provide for activity on issuance of the guarantee, and the person(s) signing that guarantee is entitled to act on behalf of the Bank, and if the approval of Board of Directors, or of General Stockholders Meeting is required, it is already received and there is no other approval required.

THE CONDITIONS of this obligation are as follows:

1. If the Bidder:
 - (a) Withdraws his Bid during the period of bid validity specified by the Bidder on the Form of Bid; or
2. If the Bidder having received notice from the Procuring Entity that his bid is accepted within the period of bid's validity:
 - (a) fails or rejects to sign the Contract at the request of; or
 - (b) fails or rejects to furnish the performance security in accordance with the Instructions to Bidders;

We undertake to pay the Procuring Entity the above sum upon receipt of his first written request, without needing the Procuring Entity to show grounds or reasons of that request, provided that the sum requested by the Procuring Entity is due to him because of the occurrence of one or two or both conditions, specifying the condition or conditions occurred.

This guarantee shall remain in force during _____ days inclusive following the expiry of the bid validity period, and any request in respect thereof should reach the Bank not later than the abovementioned date.

(Full name of Bank's representative)

(Title)

(Signature and seal)

Dated on « ____ » day of _____ 201 _.

Bid-Securing Declaration –Not Applicable

[The Bidder shall fill in this Form if applicable pursuant to BDS.]

Date: _____

IFB No.: _____

Alternative No.: _____

To: _____

We, the undersigned, declare that:

1. We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.
2. We accept that we will automatically be suspended from being eligible for bidding in any contract with the Purchaser for the period of time of _____ *[insert number of months or years]* starting on _____ *[insert date]*, if we are in breach of our obligation(s) under the bid conditions, because we:
 - (a) have withdrawn our Bid during the period of bid validity specified by us in the Bidding Data Sheet; or
 - (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the ITB.
3. We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.
4. We understand that if we are a Joint Venture, the Bid Securing Declaration must be in the name of the Joint Venture that submits the bid. If the Joint Venture has not been legally constituted at the time of bidding, the Bid Securing Declaration shall be in the names of all future partners as named in the letter of intent.

Signed: _____ *[insert signature of person whose name and capacity are shown]* In the

capacity of _____ *[insert legal capacity of person signing the Bid Securing Declaration]*

Name: _____ *[insert complete name of person signing the Bid Securing Declaration]*

Duly authorized to sign the bid for and on behalf of: *[insert complete name of Bidder]*

Dated on _____ day of _____, _____ *[insert date of signing]*

Manufacturer's Authorization

*[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid, if so indicated in the **BDS.**]*

| |
|--|
| Date of Bid Submission(<i>day/ month/ year</i>): |
| IFB No: <i>[insert number of bidding process]</i> |
| Alternative No.: <i>[insert identification No if this is a Bid for an alternative]</i> |

To: _____ *[insert complete name of Purchaser]*

WHEREAS

We _____ *[insert complete name of Manufacturer]*, who are official manufacturers of _____ *[insert type of goods manufactured]*, having factories at _____ *[insert full address of Manufacturer's factories]*, do hereby authorize _____ *[insert complete name of Bidder]* to submit a bid the purpose of which is to provide the following Goods, manufactured by us _____ *[insert name and or brief description of the Goods]*, and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 1.3 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: _____ *[insert signature(s) of authorized representative(s) of the Manufacturer]*

Name: _____ *[insert complete name(s) of authorized representative(s) of the Manufacturer]*

Title: _____ *[insert title]*

Duly authorized to sign this Authorization on behalf of: _____ *[insert complete name of Bidder]*

Dated on _____ day of _____, _____ *[insert date of signing]*

Letter of Acceptance
(Letterhead paper of Procuring Entity)

Date: _____

To: _____
(Name of Supplier)

(Address of Supplier)

We hereby notify you that your bid dated the ____ day of _____2019, for the supply of goods _____ (*description of goods*) up to a total of _____
(*Amount in figures and words*)

as amended and modified in accordance with the Instructions to Bidders is hereby accepted by our agency.

Simultaneously, we send you the Form of Contract and request you, pursuant to Clause 20.1 of the Instructions to Bidders, during seven (7) days to sign and date the Form of Contract, and return it at our address. Jointly with the signed Contract, we request you to furnish the performance security, in accordance with ITB Clause 20.2.

You hereby entrusted to start supply of the Goods, in accordance with the terms and conditions of a Contract.

Name of agency _____

Full name and Title _____

Signature of Authorized Representative _____

Power of Attorney

TO: _____ *[name of Procuring Entity]*

WHEREAS _____ *[name of Supplier]*,
who is the Supplier _____ *[name and/or description of goods]*.

do hereby authorize _____ *[name and address of Supplier's Representative]* to submit the Bid, and sign the Contract based on *Invitation for Bids* for the abovementioned goods to be supplied by us, and

[Full name, title, signature for and on behalf of Supplier]

Dated on « _____ » day of _____ 2019 (Seal)
(Date)

Note: The power of attorney must be drafted on a letterhead paper of the Supplier, and signed by a competent person authorized by the Supplier. The Bidder shall include this power of attorney in his Bid.

Evaluation and Qualification Criteria

1. Evaluation Criteria

The Purchaser's evaluation of a bid may take into account, in addition to the Bid Price the following :-

- (a) All documents are properly signed.
- (b) Delivery schedule. (As per Incoterms 2010 specified in the BDS)
The Goods specified in the List of Goods are required to be delivered within the acceptable time range (after the earliest and before the final date, both dates inclusive) specified in Section V1, Delivery Schedule. No credit will be given to deliveries before the earliest date, and bids offering delivery after the final date shall be treated as non responsive. Within this acceptable period, a maximum of **10 points** will be awarded to bidders that deliver the goods to dates closer to the earliest delivery date.
- (c) Performance Specifications and productivity of the items- evidence of the performance reliability of these items shall be provided in this bid. A maximum of **15 points** will be awarded in this category.
- (d) Any warranty and guarantee given. The bidder that offer the maximum warranty period shall be considered as the best option and for bid comparison a maximum of **15 points** will be awarded.
- (e) The projected operating and maintenance costs during the life of the equipment: A maximum of **10 points** will be awarded for in this category for the highest ranked item.
- (f) Availability in the Purchaser's Country of spare parts and after sales services for equipment offered in the bid **10 points**
- (g) Best Price **40 points**

The Criteria provided for the contract to be awarded to the bidder whose bid is determined to be substantially technically responsive to the bid document and who (Scores the highest Points) offers the lowest evaluated price.