



**Invitation for Bids (IFB)
Cooperative Republic of Guyana
IFB# GPL-PD-023-2021**

The Guyana Power & Light Inc. is committed to providing our customers with a quality Electricity Supply and a level of Service that meet and exceed the expectations of our Customers. In an effort to continually improve our services. GPL is inviting bids from reputable companies, individuals and contractors for the **SUPPLY OF FIFTEEN (15) SANITIZATION TUNNEL GATE SYSTEMS.**

Specifications

- Motor and electronic device integrated into the body.
- Photocell Controlled and adjustable spraying duration.
- Full body sanitization by dose system.
- Specially oriented nozzles with height sensors (Optional).
- Motorized turnstile with various wing options and compatible with all access control systems (Optional).
- Can be shipped disassemble, easily reassembled and installation for temporary applications (portable).
- Integratable with Thermoscanner and Thermal Cameras.
- Disinfectant shoe mat.

System Specifications

| | |
|--------------------|--|
| Indicator Features | LED Status and sanitizing are standard. Sanitizing Indicators illuminates in red during sanitizing and green when sanitizing is completed. |
| Control System | Controlled with dry contact (ground control). Optional RS 232, RS 485 or LAN (Network) control module. |
| Integration | Biometrics, thermometer and thermal camera can be optionally integrated and compatible with all access and control systems. |
| Passage | Persons entering the area are detected by sensors, System sprays sanitizer to the person through specifically oriented nozzles for the defined period. The person completes the passage after the sanitizing process Sanitizing liquid is sprayed through nozzles convenient to the height of the person which is detected by a height sensor (Height sensor can be optional). |

| | |
|-------|---------------------------|
| | |
| Speed | 10-15 passages per minute |

General Specification

| | |
|---------------------------|--|
| Body Feature | Powder coated/painted on galvanized steel/ Stainless steel |
| Dimension | 1500 x 1140 x 2300 (mm) |
| Passage Height | 2200 mm |
| Passage Width | 1200 mm |
| Power | 120/240V – 50/60 (+/- 10%), With power back up system catering for at least two (2) hours power outage |
| Passage Area Illumination | LED |

NOTE: Please include rates/quotes with your submission.

The following must be clearly stated:

1. Copies of original documents defining the constitution or legal status, place of registration, principal place of business & Individual/Company **TIN/VAT Certificate**.
2. **VALID National Insurance Certificate and VALID Guyana Revenue Authority Compliance Certificate** required from all local service providers.
3. Information regarding any current litigation in which the service provider is involved, the parties' concerned and disputed amount.
4. Satisfactory evidence of the capability and adequacy of resources to execute the service efficiently and effectively.
5. GPL reserves the right to reject bids if the above details are not stated.
6. Bids **MUST ONLY** be submitted electronically to GPL's electronic Tender Box: gpltenderbox@gplinc.com on or before **14:00 hrs, on Tuesday, March 09, 2021**.
7. Bids must be submitted along with valid certificates of compliance from Guyana Revenue Authority (GRA) and National Insurance Scheme (NIS) and VAT registration (**applicable to locally registered companies**).
8. Bids submitted **MUST** quote the bid number and description in the subject line.
9. Bids submitted to the electronic tender box beyond the deadline will be excluded from the evaluation process.

